# **P Flow Data Item Definition**

# **Action Description**

**Description:** Description of Action

Units: None

Valid Set: "Create", "Edit" or "Delete"

**Domain:** Text

Logical Format: Text (255)

Default Value: Not Required

Acronym:

Notes: N0005

#### **Action Indicator**

**Description:** Indicates whether a P0297, P0300 or P0303 Registration file is a new

registration, an update to an existing registration, a change of Registrant

AMVLP or a deletion.

Units: None

Valid Set: N means new registration

U means updated registration

C means change of Registrant AMVLP

D means delete registration

Domain: Text
Logical Format: Text(1)
Default Value: Not required

Acronym:

**Notes:** Valid Set items C and D are only applicable to the P0297.

### **Actual/Estimated Indicator**

**Description:** Bi-state indicator showing whether a component of consumption for half

hourly metering systems pertains to actual or estimated data.

Units: None

Valid Set: A Actual

C Long Day / Short Day

E Estimated

If "C" is used in D0390 flows, SVAA will process it as if it were "E"

Domain: Code Logical Format: CHAR(1)

Default Value: E

### **Additional Information**

**Description:** A free format character string for providing additional details.

Units: None

Valid Set: Any alpha, numeric and special characters where alpha characters are in

the standard English language set.

**Domain:** Text

**Logical Format:** CHAR(200) **Default Value:** Not required

Acronym: Notes:

#### **Address Line 1**

Is Synonym of: Address Line

**Description:** A free format character string for address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **Address Line 2**

Is Synonym of: Address Line

**Description:** A free format character string for address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

#### **Address Line 3**

Is Synonym of: Address Line

**Description:** A free format character string for address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **Address Line 4**

Is Synonym of: Address Line

**Description:** A free format character string for address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

#### Address Line 5

Is Synonym of: Address Line

**Description:** A free format character string for address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

#### **Address Line 6**

Is Synonym of: Address Line

**Description:** A free format character string for address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **Address Line 7**

Is Synonym of: Address Line

**Description:** A free format character string for address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

#### **Address Line 8**

Is Synonym of: Address Line

**Description:** A free format character string for address details.

Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

### **Address Line 9**

Is Synonym of: Address Line

**Description:** A free format character string for address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### Agent Id

**Description:** Id of Agent Registering

Units: None

Valid Set:

Domain: Text
Logical Format: Text (8)
Default Value: Not Required

Acronym:

Notes: N0018

### **Agent Name**

**Description:** Name of Agent Registering

Units: None

Valid Set:

Domain: Text
Logical Format: Text (30)
Default Value: Not Required

Acronym:

Notes: N0019

# **Agent Type**

**Description:** Type of Agent Registering

Units: None

Valid Set:

Domain: Text
Logical Format: Text (2)
Default Value: Not Required

Acronym:

Notes: N0020

### **AMHHDC Effective From Date**

**Description:** The date from which a Asset Metering Half Hourly Data Collector is

appointed to an AMSID Pair

Units: None

Valid Set: Any within the constraints of the format

Domain: Date
Logical Format: DATE
Default Value: Not required

### **AMHHDC Effective To Date**

**Description:** The date until which a Asset Metering Half Hourly Data Collector is

appointed to an AMSID Pair

Units: None

Valid Set: Any within the constraints of the format

Domain:DateLogical Format:DATEDefault Value:Not required

Acronym: Notes:

### **AMHHDC Id**

**Description:** The Asset Metering Half Hourly Data Collector Identifier

Units: None

Valid Set:

Domain:TextLogical Format:CHAR(4)Default Value:Not required

#### **AMSID**

**Description:** The unique reference for an Asset Metering System Identifier

Units: None

Valid Set: Any 13 digit number derived by:

Digits 1-2 - the short code "nn" Digits 3-12 – allocated by the SVAA

Digit 13 – checksum calculated from Digits 1-12

Domain: Identifier
Logical Format: INT(13)
Default Value: Not required

Acronym:

Notes: Allocated by the SVAA

### **AMSID Pair Allocation Indicator**

**Description:** AMSID Pair Aoolcation indicator

Units: None Valid Set: A

Domain: Text
Logical Format: Text(1)
Default Value: Not Required

### **AMSID Pair Baseline Calculation Status**

**Description:** An indicator of the baseline calculation status for an AMSID Pair in a

Baselined BM Unit.

Units: None Valid Set: T or F

Domain: Text
Logical Format: Text(1)
Default Value: Not required

Acronym:

Notes: "T" (calculated) or "F" (not calculated)

### **AMSID Pair Baseline Indicator**

**Description:** An indicator to specify the baseline indicator for an AMSID Pair in a

Baselined BM Unit.

Units: None
Valid Set: 'B' or 'I'

Domain: Text
Logical Format: Text(1)
Default Value: Not required

Acronym:

Notes: B Baselined or I Inactive

### **AMSID Pair Baseline Methodology**

**Description:** The chosen baseline methodology for an AMSID Pair in a Baselined BM

Unit.

Units: None

Valid Set: BL01 oir Null

Domain: Text
Logical Format: Text(4)
Default Value: Not required

Acronym: Notes:

## **AMSID Pair Differencing Indicator**

**Description:** An indicator to specify whether an AMSID Pair should be used for Asset

Metering or Asset Differencing in relation to an Associated MSID Pair

Units: None

Valid Set: T means use AMSID Pair for Asset Differencing

F means use AMSID Pair for Asset Metering

Domain:IndicatorLogical Format:BooleanDefault Value:Not required

Acronym:

**Notes:** Must be set in conjunction with the MSID Pair Indicator in a Secondary BM

Unit. Where the AMSID Pair Asset Differencing Indicator is set to T, the MSID

Pair Indicator must be set to D and where the AMSID Pair Asset

Differencing Indicator is set to F, the MSID Pair Indicator must be set to A"

# **AMSID Pair in Secondary BM Unit EFD**

**Description:** The effective from date for an AMSID Pair in a Secondary BM Unit

Units: None

Valid Set:

Domain: Date
Logical Format: DATE
Default Value: Not required

Acronym: Notes:

# **AMSID Pair in Secondary BM Unit ETD**

**Description:** The effective to date for an AMSID Pair in a Secondary BM Unit

Units: None

Valid Set:

Domain:DateLogical Format:DATEDefault Value:Not required

### **AMVLP Id**

**Description:** A unique identifier for an Asset Meter VLP.

Units: None

Valid Set:

Domain: Text
Logical Format: CHAR(4)
Default Value: Not required

Acronym: Notes:

# **Appointment Date**

**Description:** The date that an appointment has been set-up for a visit to a customer

site/premise.

Units: None

Valid Set: Any within the constraints of the format

Domain:DateLogical Format:DATEDefault Value:Not required

# **Asset Capacity**

**Description:** The maximum capacity of an Asset Meter

Units: kW

Valid Set:

Domain:IntegerLogical Format:INT(6)Default Value:Not required

Acronym: Notes:

### **Asset Meter Make and Model**

**Description:** The make and model of an Asset Meter

Units: None

Valid Set:

Domain: Text
Logical Format: CHAR(20)
Default Value: Not required

### **Asset Meter Serial Number**

**Description:** The serial number of an Asset Meter

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Text

**Logical Format:** CHAR(10) **Default Value:** Not required

Acronym: Notes:

# **Asset Metering Type**

**Description:** Asset Meter Type

Units: None

Valid Set: 1, 2, 3, 4 or 5 as defined in CoP1

Domain:

**Logical Format:** CHAR(1) **Default Value:** Not required

# **Asset Registration Id**

**Description:** An unique identifier for an Asset Registration

Units: None

Valid Set: Any within the constraints of the format

Domain: Text
Logical Format: Text(10)
Default Value: Not required

Acronym: Notes:

# **Asset Type**

**Description:** Asset type **Units:** None

Valid Set:

Domain:TextLogical Format:CHAR(20)Default Value:Not required

# **Asset Voltage**

**Description:** The voltage of the supply at the terminals.of an Asset Meter

Units: Volts

Valid Set:

Domain:IndicatorLogical Format:INT(6)Default Value:Not required

Acronym: Notes:

### **Authentication Name**

**Description:** Authentication Name

Units: None

Valid Set:

Domain: Text
Logical Format: Text (30)
Default Value: Not required

### **Authentication Password**

**Description:** Authentication Password

Units: None

Valid Set:

Domain: Text
Logical Format: Text (8)
Default Value: Not required

Acronym: Notes:

# **Baselined Expected Volume**

**Description:** The sum of all MSID Pairs and AMSID Pairs Volumes in a Baselined BM Unit.

Units: MWh

Valid Set:

Domain: Consumer Energy
Logical Format: Decimal(14,4)
Default Value: Not Required

Acronym:

Notes: Null if no Baselined Expected Volume in Settlement Period for Baselined BM

Unit

### **Baselined Volume**

**Description:** Baseline Volume

Units: MWh

Valid Set:

Domain:Consumer EnergyLogical Format:Decimal(14,4)Default Value:Not Required

Acronym:

**Notes:** Volume uses SVA sign convention:

-ve = Export
+ve = Import

# **Baselining Indicator**

**Description:** Status of an allocation indicating how the MSID Pair or AMSID Pair will have

its expected energy flows calculated.

Units: None Valid Set: None B, S or I

Domain: Text
Logical Format: Text(1)
Default Value: Not Required

Acronym:

Notes: B (Baselining) or

S (Submitted Expected Volumes) or

I (Indicative)

### **Baselining Methodology**

**Description:** A methodology for calculating the expected energy flows for each MSID Pair

or AMSID Pair in a Baselined BM Unit.

Units: None

Valid Set: BL01 or NULL

Domain:

**Logical Format:** Text(4) **Default Value:** Not Required

Acronym: Notes:

### **BM Activation**

**Description:** Indicator of whether a BM Unit is subject to a Bid-Offer Acceptance for the

relevant period

Units: None

Valid Set: T, meaning there is a Bid-Offer Acceptance

F, meaning there is not a Bid-Offer Acceptance

Domain: Indicator
Logical Format: BOOLEAN
Default Value: Not required

# **BM Unit Baselining EFD**

**Description:** The effective from date of a Baselined BM Unit.

Units: None

Valid Set:

Domain: Date Logical Format: Date

Default Value: Not Required

Acronym: Notes:

# **BM Unit Baselining Status**

**Description:** The status of a Baselined BM Unit indicating allocations that may or may not

be used to calculate baselining.

Units: None

Valid Set: T - Baselined or F - Not Baselined

Domain: Indicator
Logical Format: Boolean
Default Value: Not Required

### **BM Unit Baselining Status EFD**

**Description:** A Baselined BM Unit's baselining status effective from date.

Units: None

Valid Set:

Domain: Date Logical Format: Date

Default Value: Not Required

Acronym: Notes:

### **BM Unit Id**

**Description:** The unique reference for a BM Unit.

Units: None

Valid Set: Any within the constraints of the format

Domain: Identifier
Logical Format: CHAR(11)
Default Value: Not Required

Acronym:

**Notes:** A BM Unit is the basic unit of trade for Balancing Mechanism action and

represents the smallest number of Metering Points for which metered data is

available to the Settlement Administration Agent. N0034.

### **BM Unit Name**

**Description:** No NETA description available

Units: None

Valid Set: Any within the constraints of the format

Domain: Text

**Logical Format:** CHAR(30) **Default Value:** Not required

Acronym:

Notes: N0036

# **BM Unit Settlement Expected Volume**

**Description:** The total of the Baselined Volumes and Submitted Expected Volumes in a

Baselined BM Unit.

Units: MWh

Valid Set:

Domain: Consumer Energy
Logical Format: Decimal(14,4)
Default Value: Not Required

Acronym:

Notes: None if no Settlement Expected Volume for a Baselined BM Unit

### **BM Unit SEV Effective From Date**

**Description:** The Settlement Expected Volume Effective From Date of a Baselined BM

Unit.

Units: None

Valid Set:

Domain: Date Logical Format: Date

Default Value: Not Required

Acronym: Notes:

### **BM Unit SEV Effective To Date**

**Description:** The Settlement Expected Volume Effective To Date of a Baselined BM Unit.

Units: None

Valid Set:

Domain: Date Logical Format: Date

Default Value: Not Required

### **BM Unit SEV Warning Reason**

**Description:** A warning that a Submitted Expected Volume has been sent to SVAA with no

AMSID Pairs or MSID Pairs in a Baselined BM Unit with Baseline Indicator 'S'.

Units: None

Valid Set:

Domain: Text
Logical Format: Text(100)
Default Value: Not Required

Acronym: Notes:

### **BM Unit Type**

**Description:** 

Units: None

Valid Set: As Valid Set

E - Embedded

G - GSP Group, default BM unit for a supplier

I - Interconnector User

S - GSP Group, Specific BM unit identified by a supplier T - Directly connected to the Transmission network

Domain: Text
Logical Format: CHAR(1)
Default Value: Not required

Acronym:

Notes: N0038

### **Boundary Point/Circuit Name**

**Description:** Boundary Point/Circuit Name of Metering System to be transferred from

SMRS to CMRS or vice versa.

Units: None Valid Set: None

Domain: Text

**Logical Format:** 

Default Value: Not Required

Acronym: Notes:

#### **Broadcast**

**Description:** Not used. **Units:** None

**Valid Set:** Any within the constraints of the format.

Domain: Code
Logical Format: CHAR(1)
Default Value: Not Required

Acronym:

**Notes:** This item is for use within the Physical Header defined in the User File

Design Specification.

## **CCC Corrected Supplier Consumption**

**Description:** The sum of the value of Corrected Supplier Consumption across

Consumption Component Classes for a period.

Units: MWh

**Valid Set:** Any within the constraints of the format. May be positive or negative.

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

#### **CDCA Set Number**

Is Synonym of: SAA Settlement Run Number

Description:See Synonym.Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **CDCA Settlement Date**

Is Synonym of: SAA Settlement Date

Description:See Synonym.Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

#### **CDCS Extract Number**

**Description:** The run number of the CDCS extract which provided the data for the SAA

Settlement runs. Numbered sequentially within a Settlement Day.

Units: None

**Valid Set:** Positive integers within the constraints of the format

Domain: Run Number
Logical Format: INT(2)
Default Value: Not required

### **Charging Band**

**Description:** Charging Bands describe a set of bands used by network companies to

recover network charge residual allowed revenue - please see DCUSA

Schedule 32 'Residual Charging Bands'.

Units: None

Valid Set: DOM Domestic

LVN1 LV No Maximum Import Capacity (MIC) band 1

LVN2 LV No MIC band 2 LVN3 LV No MIC band 3 LVN4 LV No MIC band 4 LV MIC band 1 LV1 LV MIC band 2 LV2 LV MIC band 3 LV3 LV4 LV MIC band 4 HV1 HV band 1 HV2 HV band 2 HV3 HV band 3 HV band 4 HV4 EHV band 1 EHV1 EHV band 2 EHV2 EHV band 3 EHV3 EHV band 4 EHV4

UMS Unmetered Supplies

Domain: Text Logical Format: CHAR(5)

**Default Value:** 

Acronym:

**Notes:** This valid set is subject to change and is dependent on the Charging Bands

defined in each LDSO's Relevant Charging Statement.

### Checksum

**Description:** Checksum **Units:** None

Valid Set: Any within the constraints of the format

Domain: Integer
Logical Format: INT(10)
Default Value: Not required

Acronym: Notes:

# Comments/Reasons for Being Invalid

**Description:** The reason that a Metering System is not allowed to transfer from SMRS to

CMRS or vice versa.

Units: None Valid Set: None

**Domain:** Text

**Logical Format:** 

Default Value: Not Required

Acronym: Notes:

## **Complex Site Indicator**

**Description:** The site is defined by the MOP as a complex site requiring a separate

information sheet to enable the HHDC to correctly collect data from the site.

Units: None

Valid Set: F Not Complex

T Complex

Domain: Indicator Logical Format: BOOLEAN

**Default Value:** 

### **Confirmed Effective From Date**

**Description:** Confirmed Effective From Date of Transfer of Metering System from SMRS

to CMRS or vice versa.

Units: None Valid Set: None

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not Required

Acronym: Notes:

# **Consumption Component Class**

Is Synonym of: Consumption Component Class Id

Description:See Synonym.Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

### **Consumption Component Class Id**

**Description:** The reference number for a Consumption Component Class.

Units: None

**Valid Set:** Refer to published Industry Standing Data for latest details.

Domain: Code
Logical Format: INT(3)
Default Value: Not required

Acronym: Notes:

## **Consumption Component Class Id (losses)**

Is Synonym of: Consumption Component Class Id

**Description:** The reference number of a Consumption Component Class, associated with

losses

Units: See Synonym See Synonym

Domain:See Synonym.Logical Format:See SynonymDefault Value:See Synonym

Acronym: Notes:

## **Consumption Component Class Id (non-losses)**

Is Synonym of: Consumption Component Class Id

**Description:** The reference number of a Consumption Component Class, associated with

non-losses

Units: See Synonym
Valid Set: See Synonym

See Synonym

Domain:See Synonym.Logical Format:See SynonymDefault Value:See Synonym

# **Consumption Component Indicator**

**Description:** A tri-state data item which shows whether a Consumption Component Class

can be categorised by: Class Specific Line Loss, or Consumption or Generation.

Units: None

Valid Set: L Class Specific Line Loss

C Consumption or Generation

**Domain:** Code **Logical Format:** CHAR(1)

Default Value: C

Acronym:

Notes: See Consumption Component Class Id for combinations of values for this

item and other codes.

### **Contact Name (UMS Arrangements)**

**Description:** Name of contact for UMS arrangements.

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Short Description

Logical Format: CHAR(30)

Default Value: Not required

Acronym: Notes:

### **Contract Reference**

**Description:** A unique reference number identifying a Contract Agreement between

Supplier and its appointed Agents.

Units: None

Valid Set: Any alpha, numeric and special characters where alpha characters are in

the standard English language set.

Domain:CodeLogical Format:CHAR(10)Default Value:Not Required

### **Corrected Daily BMU Gross HH Demand**

**Description:** The sum of Corrected Period BMU Gross HH Demand for a Settlement Day,

Supplier BMU and Measurement Class.

Units: MWh

**Valid Set:** Any within the constraints of the format.

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

Acronym: Notes:

### **Corrected Period BMU Gross HH Demand**

**Description:** The sum of Period BMU Gross HH Demand minus Period BMU Gross Non-

Final Demand for a Settlement Day, Supplier BMU and Measurement Class.

Units: MWh

**Valid Set:** Any within the constraints of the format.

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

### **Count of Final Demand Sites**

**Description:** Number of Final Demand Sites as counted by an LDSO and used by

network companies in the calculation of network charge residual charges -

please see DCUSA Schedule 32.

Units: None

Valid Set:

Domain: Identifier Logical Format: INT(10)

**Default Value:** 

Acronym: Notes:

### **Creation Time**

Is Synonym of:File Creation TimeDescription:See Synonym.Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

## **CT Class**

**Description:** The accuracy class of the Current Transformer.

Units: None

Valid Set: Any within the constraints of the format

Domain:CodeLogical Format:CHAR(4)Default Value:Not required

Acronym: Notes:

# **CT Rating**

**Description:** VA Rating of the Current Transformer.

Units: VA

Valid Set: Any within the constraints of the format

Domain: Integer
Logical Format: INT(4)
Default Value: Not required

#### **CT Ratio**

**Description:** The CT Ratio is used to describe the ratio of the rated through (primary)

current to the output (secondary) current of a current transformer. It can also be used as part of the information required to calibrate a CT operated

Units: None Valid Set: See Notes

Domain: Text
Logical Format: CHAR(6)
Default Value: Not required

Acronym:

Notes: Normal secondary outputs of a CT are 1A and 5A though there are

occasions where outputs such as 10A are produced from summation of CTs. There is no defined upper level for a primary current but 2000A could be

considered a normal maximum.

#### **Customer Name**

**Description:** A free format character string for customer name.

Units: None

Valid Set: Any alpha, numeric and special characters where alpha characters are in

the standard English language set.

Domain: Text

**Logical Format:** CHAR(100) **Default Value:** Not required

#### **D0170 Rejection Description**

**Description:** Reason given by the LDSO to the MOA why a D0215 cannot or should not

be sent when a request for such flow is received via the D0170 flow with

Requested Action Code 21.

Units: None

Valid Set: 01 Measurement transformers installed pre 6 November 2008 (BSC

CP1225)

Measurement transformers not owned by LDSO and are unlikely to

ever be adopted into DNO ownership.

03 Measurement transformers not LDSO-owned and not yet adopted

into LDSO ownership.

04 LDSO not relevant network operator for Metering Point.

05 Measurement transformer ratio(s) unknown

Domain: Text
Logical Format: Char(2)
Default Value: Not Required

Acronym: Notes:

# **Daily BMU Gross HH Demand**

**Description:** The sum of Period BMU Gross HH Demand for a Settlement Day, Supplier

BMU and Measurement Class.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

## **Daily BMU Gross HH Embedded Export**

**Description:** The sum of Period BMU Gross HH Embedded Export for a Settlement Day,

Supplier BMU and Measurement Class.

Units: MWh

**Valid Set:** Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

Acronym: Notes:

## **Daily BMU Gross HH Non-Final Demand**

**Description:** The sum of Period BMU Gross Non-Final Demand for a Settlement Day,

Supplier BMU and Measurement Class.

Units: MWh

**Valid Set:** Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

#### **Daily Corrected Supplier Deemed Take**

**Description:** The deemed take that is attributable to consumption that is subject to GSP

Group correction for a Supplier in a GSP Group for a settlement day.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

Acronym: Notes:

## **Daily GSP Group Purchases**

**Description:** The total expected purchases attributed to a GSP Group for a Settlement

Day provided by the SAA.

**Units:** Pounds Sterling (£)

Valid Set: Any within the constraints of the format, may be positive or negative

Domain: Monetary
Logical Format: NUM(14,2)
Default Value: Not required

Acronym:

**Notes:** Internal length = 22,10 i.e. Oracle maximum

This data item is not used in any data flow defined in the Data Transfer Catalogue which has a similar item with a logical format NUM(13,3) for this

item (DTC v4.2).

#### **Daily GSP Group Take**

**Description:** The sum of GSP Group Take for a day.

Units: MWh

**Valid Set:** Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

# **Daily HH Allocated Volume**

**Description:** The sum of Period BMU HH Allocated Volume for a Settlement Day.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

## **Daily Non-Corrected Supplier Deemed Take**

**Description:** The deemed take that is attributable to consumption that is not subject to

GSP Group correction for a Supplier in a GSP Group for a settlement day.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

Acronym: Notes:

# **Daily Supplier Deemed Take**

**Description:** The sum of Period Supplier Deemed Take at GSP Group level for a Supplier

for a day.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

## **Date Fault Suspected/Detected**

**Description:** The date on which a fault is suspected or detected as having occurred.

Units: None

Valid Set: A valid date on or after the start of the market

Domain:DateLogical Format:DATEDefault Value:Not required

Acronym: Notes:

#### **Date of Action**

**Description:** Calendar date on which requested action was performed.

Units: None

**Valid Set:** A valid date within the constraints of the format.

Domain:DateLogical Format:DATEDefault Value:Not required

# Date of issue of D0001 to Supplier

**Description:** The date on which the D0001 flow was sent to the Supplier

Units: None

Valid Set: A valid date within the constraints of the format

Domain:DateLogical Format:DATEDefault Value:Not required

# **Date of Registration (UMS)**

**Description:** Date of UMS registration (for validation)

Units: None

Valid Set:

Domain: Date
Logical Format: DATE
Default Value: not required

Acronym: Notes:

## Day of the Week Id

**Description:** The reference number for a Day of the Week, used in the representation of

Clock Intervals.

Units: None

Valid Set: Refer to published Market Domain Data for latest details.

Examples are:

Monday
Tuesday
Wednesday
Thursday
Friday
Saturday
Sunday

Domain:CodeLogical Format:INT(1)Default Value:Not required

#### Days of Data Available for Quarterly Report

**Description:** The number of Settlement Days for which data is available to SVAA in the

production of a Supplier Quarterly Volume Report.

Units: None

Valid Set: Any within the constraints of the format

Domain: Integer
Logical Format: INT(2)
Default Value: Not Required

Acronym: Notes:

#### **Default BM Unit Flag**

**Description:** Denotes whether or not the BM Unit is the default for a Supplier in a GSP

Group.

Units: None

Valid Set: T meaning True, the BM Unit is the default BM Unit

F meaning False, The BM Unit is not the default BM Unit

Domain: Indicator Logical Format: BOOLEAN

**Default Value:** T

Acronym:

**Notes:** The Default BM Unit is used for a Supplier's energy volumes that have not

been explicitly assigned to a BM Unit or for a Supplier's energy volumes that have been assigned to an invalid BM Unit. The flag may be set to true for one and only one BM Unit for any one Supplier in a GSP Group on any one

Settlement Day.

# **Delete Flag**

**Description:** Denotes whether a MSID Pair should be deleted

Units: None

Valid Set: TRUE, the MSID Pair should be deleted

FALSE, the MSID Pair should not be deleted

Domain: Indicator
Logical Format: BOOLEAN
Default Value: FALSE

Acronym: Notes:

#### **Delivered Volume**

**Description:** A derived value of the total delivered volume resulting from an instructed

Balancing Action in relation to a MSID Pair or an AMSID Pair

Units: MWh

Valid Set:

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

# **Delivered Volume Exception Reason**

**Description:** The reason that a MSID Pair Delivered Volume for a MSID Pair or an AMSID

Pair has had an exception raised

Units: None

Valid Set:

**Domain:** Text

**Logical Format:** CHAR(100) **Default Value:** Not required

Acronym: Notes:

# **Delivered Volume Rejection Reason**

**Description:** The reason that a MSID Pair Delivered Volume for a MSID Pair or an AMSID

Pair has been rejected

Units: None

Valid Set:

Domain: Text

**Logical Format:** CHAR(100) **Default Value:** Not required

# **Demand Capacity**

**Description:** No NETA description available

Units: mw

Valid Set: Any within the constraints of the format

Domain: Real

**Logical Format:** NUM(13,3) **Default Value:** Not required

Acronym:

Notes: N0064

## **Demand Control Event Id**

**Description:** 

Units:

Valid Set:

Domain:

**Logical Format:** 

**Default Value:** 

Acronym:

Notes:

#### **Details of Issue**

**Description:** The details of an issue with the consumption data sent from an AMHHDC to

a HHDC.

Units: None Valid Set: None

Domain: Text

**Logical Format:** CHAR(100) **Default Value:** Not required

Acronym: Notes:

# **Disputed Detail**

**Description:** The detailed rationale for raising the disputed MSID process

Units: None

Valid Set:

**Domain:** Text

**Logical Format:** CHAR(100) **Default Value:** Not required

## **Disputed Reason**

**Description:** The rationale for raising the disputed MSID Process

Units: None

Valid Set: Full Allocation, Allocation Dates

**Domain:** Text

**Logical Format:** CHAR(100) **Default Value:** Not required

Acronym: Notes:

#### **Distributor Id**

Is Synonym of: Market Participant Id

**Description:** Specfic unique market wide reference for an LDSO

Units: See synonym See synonym.

Domain:See Synonym.Logical Format:See synonym.Default Value:See synonym.

Acronym:

**Notes:** See synonym.

## **Earliest Appointment Time**

**Description:** A local calendar time which denotes the start of a time band for

appointments.

Units: None

Valid Set: Valid time based on a 24hr clock.

Domain: Time Logical Format: TIME

Default Value: Not required

Acronym: Notes:

#### **Effective From Date**

**Description:** Date at which a role becomes effective

Units: None

Valid Set: Within Format

Domain: Date Logical Format: DATE Default Value: None

Acronym:

Notes: N0081

## Effective From Date {BMUR}

**Description:** No NETA description available. Assume Effective From Date for BM Unit

Registration

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not required

Acronym:

Notes: N0081

## **Effective From Date (IRD)**

**Description:** No NETA description available. Assume Effective From Date for

Interconnector Registration Details

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not required

Acronym:

Notes: N0081

## **Effective From Date (POL)**

**Description:** Proportion of Losses Data

Units: None

**Valid Set:** A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not required

Acronym:

Notes: N0081

#### **Effective From Date of Transfer**

**Description:** Proposed Effective From Date of Transfer of Metering System from SMRS to

CMRS or vice versa.

Units: None Valid Set: None

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not Required

#### **Effective From Settlement Date**

**Is Synonym of:** Effective From Settlement Date {PCLA}

**Description:** The first inclusive settlement date for which a value is effective.

eg in Group SUP the Supplier Id becomes effective.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

#### **Effective From Settlement Date (BMUIGG)**

**Description:** The first inclusive Settlement Date from which a BM Unit becomes valid for a

Supplier in a GSP Group.

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not Required

# **Effective From Settlement Date (ECCF)**

**Description:** The first inclusive calendar date from which a Customer has given consent

for Settlement to share Delivered Volumes with their Supplier for an Export

MSID

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not required

## **Effective From Settlement Date {ICCF}**

**Description:** The first inclusive calendar date from which a Customer has given consent

for Settlement to share Delivered Volumes with their Supplier for an Import

**MSID** 

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not required

Acronym: Notes:

## **Effective From Settlement Date (MSES)**

**Description:** The first inclusive settlement date that an energisation status is in effect for

a metering system.

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not required

#### **Effective From Settlement Date (MSGGDC)**

**Description:** A Data Collector's view of the first settlement date that a metering system is

in a GSP group.

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not required

Acronym: Notes:

## **Effective From Settlement Date (MSIDP)**

**Description:** The first inclusive calendar date from which a MSID Pair is allocated to a BM

Unit

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not required

Acronym: Notes:

#### **Effective To Date**

**Description:** Date at which a role ceases to be effective

Units: None

Valid Set: Within Format

Domain: Date Logical Format: DATE Default Value: None

Acronym:

Notes: N0083

## **Effective To Date {BMUR}**

**Description:** No NETA description available. Assume Effective To Date for BM Unit

Registration

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not required

Acronym:

Notes: N0083

#### **Effective To Date (IRD)**

**Description:** No NETA description available. Assume Effective To Date for Interconnector

**Registration Details** 

Units: None

**Valid Set:** Any within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not required

Acronym:

Notes: N0083

#### **Effective To Settlement Date**

**Description:** The last inclusive settlement date for which a value is effective.

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not required

Acronym: Notes:

## **Effective To Settlement Date {BMUIGG}**

**Description:** The last inclusive Settlement Date after which a BM Unit ceases to be valid

for a Supplier in a GSP Group.

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not Required

## **Effective To Settlement Date (ECCF)**

**Description:** The last inclusive calendar date from which a Customer has given consent

for Settlement to share Delivered Volumes with their Supplier for an Export

MSID

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not required

Acronym: Notes:

# **Effective To Settlement Date {ICCF}**

**Description:** The last inclusive calendar date from which a Customer has given consent

for Settlement to share Delivered Volumes with their Supplier for an Import

**MSID** 

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not required

## **Effective To Settlement Date (MSIDP)**

**Description:** The last inclusive calendar date form which a MSID Pair is allocated to a BM

Unit

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not required

Acronym: Notes:

# **Effective To Settlement Date (SSC)**

**Description:** The last inclusive settlement date after which a standard settlement

configuration ceases to be valid.

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not required

#### E-Mail Address

**Description:** E-Mail Address of Registrant

Units: None

Valid Set:

Domain: Text
Logical Format: Text (80)
Default Value: Not Required

Acronym:

Notes: N0067

#### **End Date and Time**

**Description:** The date and time of day on which a teleswitch contact interval ends.

Units: None

Valid Set: Must be a valid calendar date and valid time of day. Must be later than the

associated Start Date and Time.

Domain:DateTimeLogical Format:DATETIMEDefault Value:Not required

Acronym: Notes:

#### **End Day**

**Description:** The inclusive day of the month, expressed numerically, on which a clock

interval or date block ends.

Units: None

Valid Set: 1 through 31

Domain: Integer
Logical Format: INT(2)
Default Value: Not required

Acronym:

Notes: Use variation of Date with dd

#### **End Month**

**Description:** The month, expressed numerically, on which a clock interval or date block

ends.

Units: None

Valid Set: 1 through 12

Domain: Integer
Logical Format: INT(2)
Default Value: Not required

Acronym:

Notes: use a date with mm

#### **End Time**

**Description:** A time at which time-switched metering system registers associated with a

Time Pattern Regime are instructed to switch off.

Units: None

Valid Set: Integers used to represent a time in the range 000000 to 240000 inclusive.

digits 1&2 represent hours 00 to 24 digits 3&4 represent minutes 00 to 59

Domain: Text
Logical Format: CHAR(6)
Default Value: Not required

Acronym:

**Notes:** Change Request 52 will affect this attribute which may be GMT or local time

depending upon whether the associated SSC is in GMT or local time.

Interim Adjusted Interval End Time.

# **Energisation Status**

Description:	Identifies	the energisation status of the metering system.	
Units:	None		
Valid Set:	Refer to published Market Domain Data for latest details.		
	E D	Energised (e.g. fuse inserted at connection point) De-energised (e.g. fuse removed)	
Domain:	Code		
Logical Format:	CHAR(1)		
Default Value:	D		

Acronym: Notes:

# **Estimated HH Demand Disconnection Volume**

Description: Jnits: Valid Set:	
Domain: Logical Format: Default Value:	
Acronym: Notes:	

## **Event Day**

**Description:** Discounted days where the site is doing something not normal, such as

providing a Balancing Service. These days are recorded by the Supplier or Virtual Lead Party. Data associated with event days will not be used in

baseline calculations where non-event day data is available.

Units: None

Valid Set:

Domain: Date Logical Format: Date

Default Value: Not Required

Acronym: Notes:

## **Event Day Type**

**Description:** When submitting an event day, the Party will be required to choose an

option from a predefined list of event day types.

Units: None Valid Set: None B, O or D

Domain: Text
Logical Format: Text(1)
Default Value: Not Required

Acronym:

Notes: B - Balancing Service

O - Other D - Delete

#### **Event Indicator**

**Description:** An indicator to identify the specific event that has caused the flow to be sent.

Units: None

Valid Set: A New Connection

> B Addition of Meter(s) and/or Outstation(s) C Removal of Meter(s) and/or Outstation(s) D Replacement of Meters and/or Outstation(s)

E Configuration/Password Change

F Addition of Comms G Removal of Comms H Replacement of Comms

I Change of Agent J Change of Supplier

K Coincident Change of Agent and Supplier

L Request from Agent M Request from Supplier N Change of Feeder Status

O Total Replacement of Meter(s) and/or Outstation(s) P Addition of Meter and Password Change

Z Other Z Other

1 Change of Agent (No Meters Present) 2 Change of Supplier (No Meters Present) 3 Both CoA and CoS (No Meters Present)

Domain: Code Logical Format: CHAR(1)

**Default Value:** 

# **Exception Description**

**Description:** {\*\*\*! No description available in the NETA documentation. !\*\*\*}

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Text

**Logical Format:** CHAR(255) **Default Value:** Not required

Acronym: Notes:

# **Exception Type**

**Description:** {\*\*\*! No description available in the NETA documentation. !\*\*\*}

Units: None

Valid Set: Any within the constraints of the format

Domain: Code
Logical Format: CHAR(1)
Default Value: Not required

## **Export AMSID**

**Description:** An AMSID used for the purposes of recording the energy exported from an

Asset.

Units: None

Valid Set:

Domain: Integer
Logical Format: INT(13)
Default Value: Not required

Acronym: Notes:

## **Export AMSID Required Indicator**

**Description:** An indicator of whether an Asset has a generation capacity and so will

require the SVAA to generate an Export AMSID in addition to an Import

AMSID for that Asset.

Units: None

Valid Set: T means that the SVAA should generate an Export AMSID for an Asset

F means that the SVAA should not generate an Export AMSID for an Asset

Domain: Indicator
Logical Format: Boolean
Default Value: Not required

## **Export MSID**

**Description:** The unique market wide reference for an Export Metering System within a

MSID Pair

Units: None

Valid Set: Obtained from/allocated by the appropriate LDSO

Domain: Identifier
Logical Format: INT(13)
Default Value: Not required

Acronym: Notes:

# **Export MSID Customer Consent Flag**

**Description:** Denotes whether or not the Customer has given consent for Settlement to

share Delivered Volumes with their Supplier for an Export MSID

Units: None

Valid Set: TRUE, the Customer has given consent

FALSE, the Customer has not given consent

Domain:IndicatorLogical Format:BOOLEANDefault Value:FALSE

#### **Fax No**

**Description:** Fax Number of Registrant

Units: None

Valid Set:

Domain: Text
Logical Format: Text (15)
Default Value: Not Required

Acronym:

Notes: N0100

#### **File Identifier**

**Description:** File Identifier - unique within Market Participant.

Units: None

Valid Set: Any alpha and/or numeric characters where alpha characters are in the

standard English language set.

Domain: Identifier
Logical Format: CHAR(10)
Default Value: Not required

#### **File Name**

**Description:** Name of the file that response relates to.

Units: None

Valid Set:

Domain:TextLogical Format:CHAR(14)Default Value:Not required

Acronym: Notes:

## File Type

**Description:** The unique identifier for a given file type. Held in the header record of

every file.

Units: None

Valid Set: Any within the constraints of the format

Domain: Code Logical Format: CHAR(8) Default Value: None

Acronym:

**Notes:** This is a composite data item comprising:

-5 character code for the file type,

-3 character version number for the file type.

#### **Filler**

**Description:** An unspecified data item used to show where an item has been removed

from a data flow, but the structure of the flow has not been changed to take account of this. The use of this item acts as a placeholder. The data item for which the Filler is acting as the placeholder will be referred to in the comments within the dataflow and any default value expected will also be

recorded in the comments.

Units: None

Valid Set: Any within the constraints of the format

Domain:

Logical Format: Default Value:

Acronym: Notes:

#### **FPN Flag**

**Description:** No NETA description available

Units: Unknown Valid Set: Unknown

Domain: Indicator
Logical Format: BOOLEAN
Default Value: Not required

Acronym:

Notes: N0110

### From Participant Id

Is Synonym of: Market Participant Id

**Description:** The Market Participant Id of the sending participant.

Units: None

Valid Set: See Synonym.

Domain:

**Logical Format:** 

**Default Value:** See Synonym.

Acronym: Notes:

### **From Role Code**

Is Synonym of: Market Participant Role Code

**Description:** The Market Participant Role Code of the sending participant.

Units: None

Valid Set: See Synonym.

Domain:

**Logical Format:** 

**Default Value:** See Synonym.

Acronym: Notes:

### **Generation Capacity**

**Description:** No NETA description available

Units: mw

Valid Set: Any within the constraints of the format

Domain:RealLogical Format:NUM(13,3)Default Value:Not required

Acronym:

Notes: N0115

### **GSP Group**

Is Synonym of:GSP Group IdDescription:See Synonym.Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **GSP Group Correction Scaling Factor**

**Description:** A factor which can be applied to the GSP Group Correction Factor to define

to what degree the GSP Group Factor will be applied to a particular

consumption component class.

Units: None

Valid Set: Greater than or equal to 0

S=0 GSP Group Correction Factor not applied 0<S<=1 GSP Group Correction Factor partially applied

S=1 GSP Group Correction Factor appliedS>1 GSP Group Correction Factor over-applied

**Domain:** Real **Logical Format:** NUM(4,2)

**Default Value:** 1

Acronym:

Notes: GSP Group Correction Scaling Weight.

### **GSP Group Id**

**Description:** The identifier of a distinct electrical system, consisting of all or part of one or

more distribution systems (each owned and operated by an LDSO) that are supplied from one or more Grid Supply Points for which the total supply into

the GSP Group can be determined for each half hour.

Units: None

**Valid Set:** Refer to published Market Domain Data for latest details.

Domain: Identifier
Logical Format: CHAR(2)
Default Value: Not required

Acronym: Notes:

### **GSP Group Name**

**Description:** Name to expand data item GSP Group Id.

Units: None

**Valid Set:** Any within the constraints of the format.

Refer to GSP Group Id for a list of initial values.

**Domain:** Short Description

**Logical Format:** CHAR(30) **Default Value:** Not required

### **GSP Group Take**

**Description:** The total demand metered at GSPs within a GSP Group, net of 100kW

supplies handled by existing systems, Station Demand, Interconnector Demand and Inter GSP Group Metering. Calculated by the SAA.

Units: MWh

**Valid Set:** Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(14,4) **Default Value:** Not required

Acronym:

**Notes:** Length based on existing settlement system.

Internal Length = 14,4 Displayed Output = 13,3

Data Interface File Size for the purposes of loading data into SVA = 14,4 Data Interface File Size for the purposes of reporting data from SVA = 13,3

#### **GSP Group Take Report Value**

**Description:** As GSP Group Take. This item is required in order to show where GSP

Group Take is shown on a report with a different level of precision to that

held in SVAA.

Units: MWh

Valid Set:

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

## **GSP Reference**

**Description:** Grid Supply Point reference of Metering System to be transferred from

SMRS to CMRS or vice versa.

Units: None Valid Set: None

**Domain:** Text

**Logical Format:** 

**Default Value:** Not Required

Acronym: Notes:

### **HHDC Effective From Date**

**Description:** The date from which a Half Hourly Data Collector is appointed to an AMSID

Pair

Units: None

Valid Set: Any within the constraints of the format

Domain:DateLogical Format:DATEDefault Value:Not required

### **HHDC Id**

**Description:** The Identifier for a Half Hourly Data Collector

Units: None

Valid Set:

Domain: Text
Logical Format: CHAR(4)
Default Value: Not required

Acronym: Notes:

# **Import AMSID**

**Description:** An AMSID used for the purposes of recording the energy imported by an

Asset.

Units: None

Valid Set: As for AMSID

Domain: Identifier
Logical Format: INT(13)
Default Value: Not required

### **Import MSID**

**Description:** The unique market wide reference for an Import Metering System within a

MSID Pair

Units: None

Valid Set: Obtained from/allocated by the appropriate LDSO

Domain: Identifier
Logical Format: INT(13)
Default Value: Not required

Acronym: Notes:

# **Import MSID Customer Consent Flag**

**Description:** Denotes whether or not the Customer has given consent for Settlement to

share Delivered Volumes with their Supplier for an Import MSID

Units: None

Valid Set: TRUE, the Customer has given consent

FALSE, the Customer has not given consent

Domain:IndicatorLogical Format:BOOLEANDefault Value:FALSE

#### **Interconnector Administrator Id**

**Description:** No NETA description available

Units: None

Valid Set:

Domain: Text
Logical Format: CHAR(8)
Default Value: Not required

Acronym:

Notes: N0095

#### **Interconnector Error Administrator Id**

**Description:** No NETA description available

Units: None

Valid Set:

Domain: Text
Logical Format: CHAR(8)
Default Value: Not required

Acronym:

Notes: N0097

#### Interconnector Id

**Description:** No NETA description available

Units: Unknown Valid Set: Unknown

**Domain:** Text

**Logical Format:** CHAR(10) **Default Value:** Not required

Acronym:

Notes: N0098

# **Inventory Name & Reference**

**Description:** Unique name and reference given to describe that UMS inventory

Units: None

Valid Set: Any within the constraints of the format

Domain: Text

**Logical Format:** CHAR(55) **Default Value:** Not required

Acronym: Notes:

### Joint BM Unit Id

**Description:** No NETA description available

Units: None

Valid Set:

Domain: Text
Logical Format: CHAR(11)
Default Value: Not required

Acronym:

Notes: N0126

### **Latest Appointment Time**

**Description:** A local calendar time which denotes the end of a time band for appointments.

Units: None

Valid Set: Valid time based on a 24hr clock.

Domain: Time Logical Format: TIME

**Default Value:** Not required

Acronym: Notes:

#### LDSO Id

Is Synonym of: Market Participant Id

**Description:** The unique market wide reference for a LDSO.

Units: None

Valid Set: Any within the constraints of the format

Domain: Identifier
Logical Format: CHAR(4)
Default Value: Not required

Acronym:

Notes: This field is NOT used as the first 2 digits of the Metering System Id (see

LDSO Short Code).

# **Lead Party Id**

**Description:** 

Units: None

Valid Set: Within Format

Domain: Text
Logical Format: CHAR(8)
Default Value: Not required

Acronym:

Notes: N0127

## **Line Loss Factor Class Id**

**Description:** The reference for a Line Loss Factor Class within a Distribution System

which applies to a group of metering systems.

Units: None

Valid Set: Any within the constraints of the format

Domain: Code Logical Format: CHAR(3) Default Value: Not required

### **Location of Metering System OS Grid Reference**

**Description:** OS Grid Reference of Metering System to be transferred from SMRS to

CMRS or vice versa.

Units: None Valid Set: None

Domain: Text

**Logical Format:** 

Default Value: Not Required

Acronym: Notes:

## Market Participant Id (Registrant (CVA))

**Description:** The CVA Market Participant Id of the Registrant wishing to transfer from

CMRS to SMRS or vice versa.

Units: None Valid Set: None

Domain: Text
Logical Format: CHAR(4)
Default Value: Not Required

Acronym: Notes:

### Market Participant Id (Registrant (SVA))

**Description:** The SVA Market Participant Id of the Registrant wishing to transfer from

CMRS to SMRS or vice versa.

Units: None Valid Set: None

Domain: Text
Logical Format: CHAR(4)
Default Value: Not Required

### **Event Indicator**

# **Measurement Quantity Id**

**Description:** Identifies the quantity which may be measured (e.g. consumption or

generation).

Units: None

Valid Set: Refer to published Market Domain Data for latest details.

AI Active kWh import (Consumption)
AE Active kWh export (Generation)

RI Reactive kVArh import RE Reactive kVArh export

Only AI and AE are valid values within SVAA and HHDA.

Domain: Code Logical Format: CHAR(2)

Default Value: Al

#### **Measurement Transformer Indicator**

**Description:** An indicator to specify whether an Asset Meter has an associated

Measurement Transformer

Units: None

Valid Set: T means that the Asset Meter has an associated Measurement Transformer

F means that the Asset Meter does not have an associated Measurement

Domain: Code
Logical Format: Boolean
Default Value: Not required

Acronym: Notes:

# Message Role

**Description:** Purpose of flow

Units: None

Valid Set: D Data

R Response

Domain:CodeLogical Format:CHAR(1)Default Value:Not required

#### **Meter COP**

**Description:** The Codes of Practice (CoPs) to which half hourly meters are required to

conform (regardless of dispensation). Each CoP clarifies duties and obligations and sets out guidelines. BSC Parties must comply with the clauses of the CoP that applies to them. (Non Half Hourly meters must be

compliant with existing standards).

Units: None

Valid Set: J0418 valid set plus CoP11

J0418 valid set plus CoP11

Domain: Text
Logical Format: CHAR(3)
Default Value: Not required

Acronym: Notes:

#### **Meter COP Issue Number**

**Description:** A reference to indicate the Issue Number of the associated Meter COP

Units: None

**Valid Set:** Positive Integer within the constraints of the format.

Domain: Integer Logical Format: INT(2)

**Default Value:** 

### **Meter Equipment/Service Location**

**Description:** The actual location of the metering equipment and service location.

Units: None

Valid Set: Any within the constraints of the format

Domain: Text
Logical Format: CHAR(30)
Default Value: Not required

Acronym: Notes:

### Meter Id (Serial Number)

**Description:** The serial number which is stamped onto the meter nameplate at

manufacture, which is used as the main identifier of a Meter.

Units: None

**Valid Set:** Any within the constraints of the format.

Defined by manufacturer.

May be missing.

Usually 8,9,10 characters

Domain: Identifier
Logical Format: CHAR(10)
Default Value: Not required

Acronym: Notes:

#### **Meter Operator Id**

Is Synonym of: Market Participant Id

**Description:** The unique reference number for a Meter Operator.

Units: None

Valid Set: Any within the constraints of the format

Domain: Identifier
Logical Format: CHAR(4)
Default Value: Not required

### Meter Register Id

**Description:** The reference number for a Meter Register within a Meter. This Id should be

consistent with the labels on the registers of the Meter.

Units: None

Valid Set: A two character alphanumeric sequence, uniquely assigned to a register on

a given Meter.

Domain:IdentifierLogical Format:CHAR(2)Default Value:Not required

Acronym: Notes:

#### Meter/Timeswitch Class Id

**Description:** Unique identifier of an indication of the charging regimes that a meter at a

metering point will support and an indication of the switching behaviour of

the meter through time for the register of meter consumption.

Units: None

Valid Set: Positive integer within the constraints of the format

Domain: Identifier
Logical Format: NUM(3)
Default Value: Not required

### **Metering Point Address Line 1**

Is Synonym of: Address Line

**Description:** A free format character string for metering point address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **Metering Point Address Line 2**

Is Synonym of: Address Line

**Description:** A free format character string for metering point address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

## **Metering Point Address Line 3**

Is Synonym of: Address Line

**Description:** A free format character string for metering point address details.

Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

### **Metering Point Address Line 4**

Is Synonym of: Address Line

**Description:** A free format character string for metering point address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **Metering Point Address Line 5**

Is Synonym of: Address Line

**Description:** A free format character string for metering point address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

## **Metering Point Address Line 6**

Is Synonym of: Address Line

**Description:** A free format character string for metering point address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

### **Metering Point Address Line 7**

Is Synonym of: Address Line

**Description:** A free format character string for metering point address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **Metering Point Address Line 8**

Is Synonym of: Address Line

**Description:** A free format character string for metering point address details.

Units: See Synonym. Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

## **Metering Point Address Line 9**

Is Synonym of: Address Line

**Description:** A free format character string for metering point address details.

Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

### **Metering Point Postcode**

Is Synonym of: Postcode

**Description:** An alpha numeric set of characters that defines the Postal Zones or Address

of a Metering Point.

Units: See Synonym.
Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **Metering System Id**

**Description:** The unique market wide reference for a Metering System.

First two digits - Valid LDSO Short Code Next 10 digits - Unique number to the LDSO.

Last digit - Check digit

Units: None

Valid Set: Obtained from/allocated by the appropriate LDSO

Domain: Identifier
Logical Format: INT(13)
Default Value: Not required

### **MOA Effective From Date**

**Description:** The Effective From Date for a HHMOA or Asset Meter MOA for an Asset

Metering System.

Units: None

Valid Set: A valid date and time within the constraints of the format

Domain: Text
Logical Format: DATE
Default Value: Not required

Acronym: Notes:

### **MOA Id**

**Description:** Meter Operator Agent Id. HHMOA or Asset Meter MOA for an Asset

Metering System.

Units: None Valid Set: None

Domain: Text

Logical Format:

Default Value: Not Required

### **MPAN Applicable Balancing Services Volume Data (losses)**

**Description:** The Line Losses relating to the Applicable Balancing Services Volume Data

calculated per MPAN by the SVAA

Units: MWh

Valid Set: Any number within the constraints of the format, may be positive or negative

**Domain:** Wholesale Energy

**Logical Format:** NUM(14,4) **Default Value:** Not required

Acronym: Notes:

### **MPAN Applicable Balancing Services Volume Data (non-losses)**

**Description:** The Applicable Balancing Services Volume Data calculated per MPAN by the

SVAA without Line Losses applied

Units: MWh

**Valid Set:** Any number within the constraints of the format, may be positive or negative

**Domain:** Wholesale Energy

**Logical Format:** NUM(14,4) **Default Value:** Not Required

# **MSID Count (HH)**

**Description:** The total number of registered Metering systems

Units: None

Valid Set: Domain:

Logical Format: NUM

Default Value: Not Required

Acronym: Notes:

### **MSID Pair Allocation Indicator**

**Description:** An indicator to specify that the MSID Pair is not an Associated MSID Pair to

an AMSID Pair in a Secondary BM Unit.

Units: None

Valid Set:

Domain: Indicator
Logical Format: Text(1)
Default Value: Not Required

#### **MSID Pair Baseline Calculation Status**

**Description:** An indicator of the outcome of the Baselined Methodology calculation for an

MSID Pair in a Baselined BM Unit.

Units: None Valid Set: T or F

Domain: Text
Logical Format: Text(1)
Default Value: Not Required

Acronym:

Notes: T - calculated

F - not calculated

### **MSID Pair Baseline Indicator**

**Description:** An indicator of how an MSID Pair in a Baselined BM Unit will have its

expected energy flows calculated.

Units: None Valid Set: 'B' or 'I'

Domain: Text
Logical Format: Text(1)
Default Value: Not Required

Acronym:

**Notes:** B - Baselined or

I - Inactive

### **MSID Pair Baseline Methodology**

**Description:** The baseline methodology used for calculating the expected energy flows

for each MSID Pair.

Units: None

Valid Set: BL01 or Null

Domain: Text
Logical Format: Text(4)
Default Value: Not Required

Acronym: Notes:

### **MSID Pair Id**

**Description:** The unique reference for an MSID Pair generated by BSC Systems when

the MSID Pair is raised, which should be used by the Virtual Lead Party or

Supplier for all relevant transactions

Units: None

Valid Set:

Domain:IdentifierLogical Format:CHAR(18)Default Value:Not required

#### **MSID Pair Indicator**

**Description:** An indicator to specify whether an Associated MSID Pair should be used for

Asset Metering or Asset Differencing in relation to an AMSID

Units: None

Valid Set:

Domain: Indicator
Logical Format: CHAR(1)
Default Value: Not required

Acronym:

Notes: The MSID Pair Indicator must be set in conjunction with the AMSID Pair

Differencing Indicator in a Secondary BM Unit:

- Where the MSID Pair Indicator is set to A, the AMSID Pair Differencing

Indicator must be set to F.

- Where the MSID Pair Indicator is set to D, the AMSID Pair Differencing

Indicator must be set to T.

## **MSID Pair Rejection Reason**

**Description:** The reason that a MSID Pair Allocation has been rejected

Units: None

Valid Set:

Domain: Text

**Logical Format:** CHAR(100) **Default Value:** Not required

#### Name

**Description:** Name of Party, to expand data item Party Id

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Short Description

Logical Format: CHAR(30)

Default Value: Not required

Acronym: Notes:

# Name of Registrant

**Description:** Name of Registrant who wishes to transfer Registration from SMRS to CMRS

or vice versa.

Units: None Valid Set: None

**Domain:** Text

**Logical Format:** 

Default Value: Not Required

### **NGC BM Unit Name**

**Description:** NGC BM Unit Name

Units: None

Valid Set: Within Format

Domain: Text
Logical Format: CHAR(9)
Default Value: Not Required

Acronym:

Notes: N0150

# **Non-Compliance Details**

**Description:** The details of the non-compliance of an Asset Metering System with CoP11

sent to a VLP by the MOA or AMMOA

Units: None

Valid Set: Any within the constraints of the format

Domain:TextLogical Format:CHAR(1))Default Value:Not required

### **Number of Days in Quarter**

**Description:** The number of Settlement Days in a Calendar Quarter identified by Quarter

ld.

Units: None

Valid Set: Any within the constraints of the format

Domain: Integer Logical Format: INT(2)

Default Value: Not Required

Acronym: Notes:

### **Number of Phases**

**Description:** The number of Phases on a Meter, part of Meter Technical Data.

Units: None Valid Set: 1 or 3

Domain: Integer Logical Format: INT(1) Default Value: 1

Acronym:

Notes: Domestic Meters are 1 (single) phase

Commercial meters are 3 phase.

#### **Outstation Id**

**Description:** The reference for an Outstation, may be the same as the Meter Id if there is

only one Meter attached to the Outstation.

Units: None

Valid Set: Any within the constraints of the format

Domain: Identifier
Logical Format: INT(13)
Default Value: Not required

Acronym: Notes:

### **Outstation Type**

Description:Not KnownUnits:NoneValid Set:Not Known

Domain:CodeLogical Format:CHAR(1)Default Value:None

Acronym: Notes:

### Participant Id

Is Synonym of: Market Participant Id

Description:See Synonym.Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

### **Payment Date**

**Description:** A day, identified by the date, on which payment or adjustment must be made

for one or more Settlement Date.

Units: None

Valid Set: A valid date within the constraints of the format

Domain:DateLogical Format:DATEDefault Value:Not required

Acronym: Notes:

## **Period Asset Metering System Metered Data**

**Description:** The Metered volume for an AMSID for a Settlement Period

Units: kWh

Valid Set: Any within the contraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(9,3) **Default Value:** Not required

#### **Period BM Unit Allocated Disconnected Volume**

**Description:** The total disconnected energy allocated to a BM Unit in Settlement Period

after GSP Group Correction is applied

Units: MWh

**Valid Set:** Any within the contraints of the format.

**Domain:** Wholesale Energy

**Logical Format:** NUM(14,4) **Default Value:** Not Required

Acronym: Notes:

### **Period BM Unit SVA Gross Demand**

**Description:** The total gross demand allocated to a Supplier BM Unit in a Settlement

Period (after adjustment for distribution line losses and GSP Group Correction, but excluding any Active Export). The value will be positive (indicating a greater than zero value of demand) in all but exceptional

circumstances (e.g. negative meter advances).

Units: MWh

**Valid Set:** Any within the constraints of the format.

**Domain:** Wholesale Energy

**Logical Format:** NUM(14,4) **Default Value:** Not Required

Acronym:

#### **Period BM Unit Total Allocated Volume**

**Description:** The total energy allocated to a BM Unit in a Settlement Period after GSP

Group Correction is applied.

Units: MWh

**Valid Set:** Any within the constraints of the format. May be positive or negative.

**Domain:** Wholesale Energy

**Logical Format:** NUM(14,4) **Default Value:** Not Required

Acronym: Notes:

#### **Period BMU Gross HH Demand**

**Description:** The gross Half Hourly Active Import Corrected Components allocated to a

BMU of a Supplier in a GSP Group for a period in a Settlement Day by

Supplier BMU and Measurement Class.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

Acronym: Notes:

### **Period BMU Gross HH Embedded Export**

**Description:** The gross Half Hourly Active Export Corrected Components allocated to a

BMU of a Supplier in a GSP Group for a period in a Settlement Day by

Supplier BMU and Measurement Class.

Units: MWh

Valid Set: Any within the constraints of the format

Not required

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

#### **Period BMU Gross Non-Final Demand**

**Description:** The gross Half Hourly Active Import Corrected Components allocated to a

BMU of a Supplier in a GSP Group for a period in a Settlement Day by Supplier BMU and Measurement Class, but only in respect of Imports to SVA

Non-Final Demand facilities.

Units: MWh

**Valid Set:** Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

Acronym: Notes:

#### **Period BMU HH Allocated Volume**

**Description:** The Half Hourly consumption allocated to a BMU of a Supplier in a GSP

Group for a period in a Settlement Day.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

#### **Period BMU NHH Allocated Volume**

**Description:** The Non Half Hourly consumption allocated to a BMU of a Supplier in a GSP

Group for a period in a Settlement Day.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

Acronym: Notes:

## **Period Corrected Supplier Deemed Take**

**Description:** The deemed take that is attributable to consumption that is subject to GSP

Group correction for a Supplier in a GSP Group for a period in a settlement

day.

Units: MWh

**Valid Set:** Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

### **Period GSP Group Purchases**

**Description:** The total expected purchases attributed to a GSP Group for a Settlement

Period provided by the SAA.

Units: Pounds Sterling (£)

Valid Set: Any within the constraints of the format, may be positive or negative

Domain:MonetaryLogical Format:NUM(14,3)Default Value:Not required

Acronym:

**Notes:** Internal length = 22,10 i.e. Oracle maximum

Displayed output = 14,3

### **Period Non-Corrected Supplier Deemed Take**

**Description:** The deemed take that is attributable to consumption that is not subject to

GSP Group correction for a Supplier in a GSP Group for a period in a

settlement day.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

## Period Supplier BM Unit Non BM ABSVD Volume

**Description:** The total volume adjustment to be made to a Supplier BM Unit in relation to

Non BM Unit Applicable Balancing services provided to the NETSO for a

Settlement Period.

Units: MWh

Valid Set:

**Domain:** Wholesale Energy

**Logical Format:** NUM(14,4) **Default Value:** Not Required

Acronym: Notes:

# **Period Supplier Deemed Take**

**Description:** The deemed take at GSP Group level for a Supplier during a half hour

period.

Units: MWh

**Valid Set:** Any within the constraints of the format.

May be negative.

**Domain:** Wholesale Energy

**Logical Format:** NUM(14,4) **Default Value:** Not required

Acronym:

**Notes:** Internal Length = 14,4

Displayed Output = 13,3

Data Interface File Size for the purposes of loading data into SVA = 14,4 Data Interface File Size for the purposes of reporting data from SVA = 13,3

Supplier Deemed Take.

## **Period Supplier Deemed Take Report Value**

**Description:** As Period Supplier Deemed Take. This item is required in order to show

where Period Supplier Deemed Take is shown on a report with a different

level of precision to that held in SVAA.

Units: MWh

Valid Set:

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

Acronym: Notes:

#### **Postcode**

**Description:** An alpha numeric set of characters that defines the Postal Zones or Address.

Units: None

Valid Set: Any within the constraints of the format

Domain: Text
Logical Format: CHAR(10)
Default Value: Not required

Acronym: Notes:

### **Production/Consumption Flag**

**Description:** No NETA description available

Units: None

Valid Set: P - Production

C - Consumption

Domain: Code
Logical Format: CHAR(1)
Default Value: Not required

Acronym:

Notes: N0177

# **Proportion of Losses**

**Description:** Proportion of Losses data

Units: Unknown Valid Set: Unknown

**Domain:** Real **Logical Format:** NUM(8,7)

Default Value:

Acronym:

Notes: N0178

### **Quarter Id**

**Description:** The calendar quarter for which data is recorded.

Units: None

Valid Set: 1 Quarter 1

2 Quarter 23 Quarter 34 Quarter 4

**Domain:** Integer **Logical Format:** INT(1)

Default Value: Not Required

Acronym: Notes:

# **Quarterly Average MPAN Count**

**Description:** The average number of MPANs settled over a Quarter.

Units: None

**Valid Set:** Any within the constraints of the format

Domain: Integer
Logical Format: INT(12)
Default Value: Not Required

## **Quarterly Volume in MWh**

**Description:** The total Supplier energy volume settled over a Quarter.

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(14,4) **Default Value:** Not Required

Acronym: Notes:

# **Reading Date & Time**

**Description:** The date and time at which a meter register reading is taken. The time is

always midnight for Non-Half Hourly readings with the exception of 'special'

reads where the absolute reading time must be given.

Units: None

Valid Set: A valid date and time within the constraints of the format

Domain:DateTimeLogical Format:DATETIMEDefault Value:Not required

# **Reading Type**

**Description:** A code identifying the type of reading.

Units: None

Valid Set:

Domain: Code Logical Format: CHAR(1) Default Value: None

Acronym: Notes:

### Reason

**Description:** The reason that a P0310 'Missing Metering System Data' or a P0311 'Invalid

Metering System' data flow has been issued

Units: None

Valid Set:

Domain: Text

**Logical Format:** CHAR(100) **Default Value:** Not required

## **Reason for Rejection**

**Description:** A free format character string for providing details on why a request for site

visit has been rejected.

Units: None

Valid Set: Any alpha, numeric and special characters where alpha characters are in

the standard English language set.

**Domain:** Text

**Logical Format:** CHAR(100) **Default Value:** Not required

Acronym: Notes:

### **Reason for Request**

**Description:** A free format character string for providing additional details on a request

for specific actions to be taken.

Units: None

Valid Set: Any alpha, numeric and special characters where alpha characters are in

the standard English language set.

**Domain:** Text

**Logical Format:** CHAR(100) **Default Value:** Not required

### **Received Time**

**Description:** Time the response message was received by the receiving party.

Units: None

Valid Set:

Domain:DateTimeLogical Format:(GMT)Default Value:Not required

Acronym:

# **Receiving Application Id**

**Description:** Not used. **Units:** None

**Valid Set:** Any within the constraints of the format.

Domain: Identifier
Logical Format: CHAR(5)
Default Value: Not Required

Acronym:

**Notes:** This item is for use within the Physical Header defined in the User File

Design Specification. Application identifier.

#### **Record Code**

Is Synonym of:Record TypeDescription:See Synonym.Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

### **Record Count**

Is Synonym of: File Footer Record Count

Description:See Synonym.Units:See Synonym.Valid Set:See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

# **Record Type**

**Description:** A code which defines the data layout of a file record. Record types are

unique within a given file type.

Units: None

Valid Set: Any within the constraints of the format

Domain:CodeLogical Format:CHAR(3)Default Value:None

## **Register Reading**

**Description:** The value of a reading from a meter register at a specified date and time.

Units: kWh, kVArh, kW

Valid Set: Positive integer within the constraints of the format

Domain:RealLogical Format:NUM(9,1)Default Value:Not required

Acronym: Notes:

### Registrant Id

**Description:** Where an LDSO is counting Final Demand Sites with Metering Systems

registered in SMRS the Registrant Id is the Registrant's Supplier Id, i.e. it will be 4 characters of text. Where an LDSO is counting Final Demand Sites

with Metering Systems registered in CMRS the Registrant Id is the Registrant's BSC Party Id, i.e. it will be up to 8 characters in length.

Units: None

Valid Set:

Domain: Identifier Logical Format: CHAR(8)

**Default Value:** 

# **Registration Effective From Date**

**Description:** Date from which a registration becomes effective.

Units: None

Valid Set: Within Format

Domain:DateLogical Format:DATEDefault Value:None

Acronym:

Notes: N0183

# **Registration Effective To Date**

**Description:** Date at which a registration ceases to be effective.

Units: None

Valid Set: Within Format

Domain:DateLogical Format:DATEDefault Value:None

Acronym:

Notes: N0184

# **Registration Status**

**Description:** Status of Registration

Units: None

Valid Set: As Valid Set

P - Registration Pending S - Successful Registration

Domain: Text Logical Format: Char

Default Value: Not Required

Acronym:

Notes: N0185

# **Registration Transfer Successfully Validated**

**Description:** Result of Proposal to transfer Metering System from SMRS to CMRS or vice

versa.

Units: None Valid Set: Yes or No

Y or N

**Domain:** Text

**Logical Format:** 

Default Value: Not Required

# **Registration Type**

**Description:** Type of Registration

Units: None

Valid Set:

Domain: Text
Logical Format: Text (2)
Default Value: Not Required

Acronym:

Notes: N0186

# **Regular Reading Cycle**

**Description:** A code identifying the reading cycle applicable to the metering system.

Units: None

Valid Set:

Domain: Code Logical Format: CHAR(1) Default Value: None

# **Rejection Reason**

**Description:** The reason that a file submitted to the SVAA has been rejected

Units: None

Valid Set: Reason codes to be specified

Domain:

Logical Format: CHAR(2)

**Default Value:** 

Acronym: Notes:

# **Report Parameters**

**Description:** Data passed to a system for use in the preparation of a report. The data

may be for control, and/or informational.

Units: None

Valid Set: Any within the constraints of the format

Domain: Text
Logical Format: CHAR(30)
Default Value: Not required

# **Requesting Registrant**

**Description:** Requesting Registrant

Units: None

Valid Set:

Domain: Text
Logical Format: Text(8)
Default Value: Not required

Acronym:

Notes: N0193

# **Required First Scheduled Read Date**

**Description:** The date for which the AMHHDC is required to provide Asset Meter Metered

Data to the HHDC

Units: None

Valid Set:

Domain:DateLogical Format:DATEDefault Value:Not required

#### **Response Code**

**Description:** A code used to indicate the acknowledge status of a NETA message.

Units: None

Valid Set: 0 Delivered

NACK Codes (negative acknowledgment codes)

1 Syntax Error in Header Record

2 To Participant details in header record are not correct for the actual recipient

3 Unexpected Sequence Number in Header record

4 Syntax error in body.

Error data contains line number where error detected

5 Syntax error in Footer record

6 Incorrect Line Count in Footer record

7 Incorrect Checksum in Footer record

ACK Codes (positive acknowledgment codes)

100 File received

101 Duplicate file received

Domain: Code
Logical Format: INT(3)
Default Value: Not Required

Acronym: Notes:

### **Response Data**

**Description:** Any data that gives additional information that may be of assistance in

addressing a problem.

Units: None

**Valid Set:** Any within the constraints of the format.

Domain: Text
Logical Format: CHAR(80)
Default Value: Not Required

## **Response Time**

**Description:** Time that the response message was generated by the receiving party

Units: None

Valid Set:

Domain: DateTime
Logical Format: (GMT)
Default Value: Not required

Acronym: Notes:

#### **Retrieval Method**

**Description:** A code identifying the method by which meter data is collected from the

meter.

Units: None Valid Set: H Visual

M Manual (Electronic Download to Hand Held Unit)

N Not known at time of appointment or request for meter installation

R Remote reading

V VLP sourced Asset meter readings

Domain: Indicator
Logical Format: CHAR(1)
Default Value: Not required

#### **RR Activation**

**Description:** Indicator of whether a BM Unit is subject to an RR Activation for the relevant

period

Units: None

Valid Set: T, meaning there is an RR Activation

F, meaning there is not an RR Activation

Domain: Indicator
Logical Format: BOOLEAN
Default Value: Not Required

Acronym: Notes:

#### **Run Number**

**Description:** The number of the SAA or SVA (SVAA) run which supplies Purchase data to

FAA.

Units: None

**Valid Set:** Any within the constraints of the format

Domain: Run Number
Logical Format: INT(7)
Default Value: Not required

## **Run Type Code**

**Description:** A code which identifies the type of Agency system which created a data file.

Units: None

Valid Set: Any within the constraints of the format

Domain: Code Logical Format: CHAR(2) Default Value: None

Acronym: Notes:

#### **SAA Settlement Date**

**Description:** The Settlement Date for which an SAA settlement run is performed.

See Settlement Date.

Units: None

**Valid Set:** A valid date within the constraints of the format

Domain: Date
Logical Format: DATE
Default Value: Not required

Acronym: Notes:

#### **SAA Settlement Run Number**

**Description:** The run number, unique within a Settlement Day, generated for an SAA

settlement run.

Units: None

Valid Set: Positive integers, allocated sequentially starting from 1, within the

constraints of the format.

Domain: Run Number
Logical Format: INT(2)
Default Value: Not required

## **SAA Settlement Run Type Id**

**Description:** The identifier for the particular SAA run type for an SAA run. Pre-1998

values are Preliminary, Provisional, Final and Dispute Final.

Units: None

Valid Set: P Preliminary or Provisional

F Final

D Dispute Final

Domain:CodeLogical Format:CHAR(1)Default Value:Not required

Acronym:

**Notes:** Run Type printed in full in existing Settlements reports.

SVAA will not receive output from Preliminary Runs.

# **Secondary BM Unit Demand Volume**

**Description:** A derived value of the total metered volume delivered by a Secondary BM

Unit in a Settlement Period

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

### **Secondary BM Unit Supplier Delivered Volume**

**Description:** A value of the total Delivered Volume derived for a Secondary BM Unit for

each relevant Supplier BM Unit in a Settlement Period

Units: MWh

**Valid Set:** Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

Acronym: Notes:

### **Secondary Half Hourly Consumption (losses)**

**Description:** A derived value of the losses associated with MSID metered volumes for a

MSID in a Secondary BM Unit in a Settlement Period

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

Acronym: Notes:

# **Secondary Half Hourly Consumption (non-losses)**

**Description:** A derived value of MSID metered volumes for a MSID in Secondary BM Unit

in a Settlement Period

Units: MWh

**Valid Set:** Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

### **Secondary Half Hourly Delivered Volumes (losses)**

**Description:** A value of the losses associated with the Delivered Volume derived for a

MSID within a MSID Pair in a Settlement Period

Units: MWh

**Valid Set:** Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

Acronym: Notes:

# **Secondary Half Hourly Delivered Volumes (non-losses)**

**Description:** A value of the Delivered Volume for a MSID within a MSID Pair in a

Settlement Period

Units: MWh

Valid Set: Any within the constraints of the format

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,4) **Default Value:** Not required

Acronym: Notes:

# **Sending Application Id**

**Description:** Not used. **Units:** None

**Valid Set:** Any within the constraints of the format.

Domain: Identifier
Logical Format: CHAR(5)
Default Value: Not Required

Acronym:

**Notes:** This item is for use within the Physical Header defined in the User File

Design Specification. Application identifier.

## **Sequence Number**

**Description:** {\*\*\*! No description available in the NETA documentation. !\*\*\*}

Units: None

Valid Set: Any within the constraints of the format

Domain: Integer
Logical Format: INT(9)
Default Value: Not required

Acronym: Notes:

#### **Service Level Reference**

**Description:** A unique identifier for referencing specific service levels for a Service in the

relevant Commercial Agreement.

Units: None

Valid Set: Any alpha, numeric and special characters where alpha characters are in

the standard English language set.

Domain: Code Logical Format: CHAR(4) Default Value: None

Acronym: Notes:

#### **Service Reference**

**Description:** A unique identifier for referencing specific services in the relevant

Commercial Agreement.

Units: None

Valid Set: Any alpha, numeric and special characters where alpha characters are in

the standard English language set.

Domain: Code
Logical Format: CHAR(4)
Default Value: None

#### **Settlement Code**

**Description:** A code which, together with the Settlement Date, identifies a Settlement

published in the Settlement timetable. It identifies the type of Settlement. Initial values may be Provisional Settlement, Final Initial Settlement, First

Reconciliation, Second Reconciliation, Third Reconciliation, Final

Reconciliation, Dispute, Final Dispute.

Units: None

Valid Set: Refer to published Market Domain Data for latest details.

Examples are:

SF Final Initial Settlement
R1 First Reconciliation
R2 Second Reconciliation
R3 Third Reconciliation
RF Final Reconciliation

DR Dispute
DF Final Dispute

Domain:CodeLogical Format:CHAR(2)Default Value:Not required

Acronym: Notes:

# **Settlement Code Description**

**Description:** A description which enhances Settlement Code for example 'Final

Settlement'.

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Short Description

**Logical Format:** CHAR(30) **Default Value:** Not required

#### **Settlement Date**

**Description:** The date on which energy is deemed to be used and must be later settled

for through SVAA. Also known as the Trading Day.

Units: None

Valid Set: A valid date within the constraints of the format

Domain: Date
Logical Format: DATE
Default Value: Not required

Acronym: Notes:

#### **Settlement Period Id**

**Description:** The reference number for a Settlement Period, unique within Settlement

Date. Period Ids are assigned sequentially to each period in the local time day. Period 1 identifies the half hour period which ends at 00:30 local time.

Units: None

Valid Set: Refer to published Market Domain Data for latest details.

1 to 50

Between 1 and 46 inclusive on a short day

Between 1 and 48 inclusive on normal days otherwise

Between 1 and 50 inclusive on a long day

Domain: Code
Logical Format: INT(2)
Default Value: Not required

Acronym:

**Notes:** Note the internal Settlement Period Id in Existing Settlements has a different

set of values. It is a unique number identifying the Settlement period which started at 1 on vesting day. Settlement Period Id in the interface between SAA and SVAA will conform to the SVAA definition, rather than the existing

Settlement definition.

#### **Settlement Period Label**

**Description:** The end time of a Settlement Period e.g. 00:30, 14:00 (see data item

Settlement Period Id).

Units: None

**Valid Set:** A valid time within constraints of the format

00:30 period ending at 0030 on a normal day 01:30 period ending at 0130 on a normal day 01:30a second period ending at 0130 on a long day

Domain: Text
Logical Format: CHAR(6)
Default Value: Not required

Acronym:

**Notes:** Note that on days where there is a backward clock change, the same

Settlement Period will occur twice in one Settlement Day. Therefore, the second occurrence of the Settlement Period Label will be appended with 'a' to enable differentiation. As the clocks go back at 0200 to 0100 the two periods labelled 01:30 and 02:00 occur twice, these will be labelled as

'01:30a' and 02:00a'.

#### **Settlement Run End Date**

**Description:** The last inclusive Settlement Date applicable to a calendar quarter as

identified by Quarter Id.

Units: None

**Valid Set:** Any within the contraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not Required

#### **Settlement Run From Date**

**Description:** The first inclusive Settlement Date applicable to a calendar quarter as

identified by Quarter Id.

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

Default Value: Not Required

Acronym: Notes:

# **Settlement Run Type**

**Description:** A code used to identify a type of SVAA or SAA run type.

Units: None

Valid Set: Any within the constraints of the format

D Dispute DF Final Dispute

II Interim Initial
R1 First Reconciliation
R2 Second Reconciliation
R3 Third Reconciliation

RF Final Reconciliation SF Initial Settlement

Domain:CodeLogical Format:CHAR(2)Default Value:Not required

### **Site Address**

**Description:** Address of Site of Metering System to be transferred from SMRS to CMRS

or vice versa.

Units: None Valid Set: None

**Domain:** Text

**Logical Format:** 

**Default Value:** Not Required

Acronym: Notes:

### **Site Allocation Indicator**

**Description:** Site Allocation Indicator

Units: None Valid Set: D

Domain: Text
Logical Format: Text(1)
Default Value: Not Required

Acronym:

**Notes:** D - Differencing

#### **Site Baseline Calculation Status**

**Description:** An indicator of the baseline calculation status for a site used for asset

metering or differencing in a Baselined BM Unit.

Units: None Valid Set: T or F

Domain: Text
Logical Format: Text(1)
Default Value: Not Required

Acronym:

Notes: T - calculated or

F - not calculated

### **Site Baseline Indicator**

**Description:** The baseline indicator for a site used for asset metering or differencing in a

Baselined BM Unit.

Units: None Valid Set: None

Domain: Text
Logical Format: Text(1)
Default Value: Not Required

Acronym:

**Notes:** B - Baselined or

I - Inactive

# **Site Baseline Methodology**

**Description:** A methodology for calculating the expected energy flows for a site used for

asset metering or differencing in a Baselined BM Unit.

Units: None

Valid Set: BL01 or Null

Domain: Text
Logical Format: Text(4)
Default Value: Not Required

Acronym: Notes:

### Site ID

**Description:** A unique identifier for a baselining site created by SVAA.

Units: None

Valid Set:

Domain: Integer

**Logical Format:** 

**Default Value:** Not required

#### **Site Name**

**Description:** Name of Site of Metering System to be transferred from SMRS to CMRS or

vice versa.

Units: None Valid Set: None

Domain: Text

**Logical Format:** 

Default Value: Not Required

Acronym: Notes:

#### Site Visit Check Code

**Description:** A code identifying either nature of checks made/to be made on metering

equipment during a site visit or identifying reason for failure to obtain

readings.

Units: None

Valid Set:

Domain:CodeLogical Format:CHAR(2)Default Value:None

Acronym: Notes:

### **Standing Data Reports**

**Description:** Standing Data reports relating to a Metering System that has been

transferred from SMRS to CMRS or vice versa.

Units: None Valid Set: None

Domain: Text

**Logical Format:** 

Default Value: Not Required

Acronym: Notes:

#### **Start Date and Time**

**Description:** The date and time of day on which a teleswitch contact interval starts.

Units: None

Valid Set: Must be a valid calendar date and valid time of day.

Domain: DateTime
Logical Format: DATETIME
Default Value: Not required

# **Start Day**

**Description:** The inclusive day of the month, expressed numerically, on which a clock

interval or date block commences.

Units: None

Valid Set: 1 through 31

Domain:IdentifierLogical Format:INT(2)Default Value:Not required

Acronym:

Notes: Date dd

#### **Start Month**

**Description:** The month, expressed numerically, on which a clock interval or date block

commences.

Units: None

Valid Set: 1 through 12

Domain: Identifier
Logical Format: INT(2)
Default Value: Not required

Acronym: Notes:

### **Start Time**

**Description:** A time at which time-switched metering system registers associated with a

Time Pattern Regime are instructed to switch on.

Units: None

Valid Set: A valid time within the constraints of the format

Domain: Time Logical Format: TIME

Default Value: Not required

## **Submitted Expected Volume**

**Description:** Party submitted value to account for expected energy flows at MSID Pairs or

AMSID Pairs in a Baselined BMU.

Units: MWh

Valid Set:

**Domain:** Consumer Energy **Logical Format:** Decimal(14,4)

**Default Value:** 

Acronym: Notes:

### **Sum of Gross Imports (annual)**

**Description:** The sum of gross Imports over all Settlement Periods over a 12 month

period.

Units: MWh

Valid Set:

**Domain:** Consumer Energy

**Logical Format:** NUM(14,4)

**Default Value:** 

Acronym:

Notes: The most up to date Settlement Data should be used, i.e. based on the

latest Settlement Run. It is not GSP Group corrected nor loss adjusted

## **Sum of Gross Imports (daily)**

**Description:** The sum of gross Imports over all Settlement Periods on a particular

Settlement Date.

Units: MWh

Valid Set:

**Domain:** Consumer Energy

**Logical Format:** NUM(14,4)

**Default Value:** 

Acronym:

Notes: This item is currently only used by LDSOs to report gross UMS imports to

NETSO. It is not GSP Group corrected nor loss adjusted

## Supplier Id

Is Synonym of: Market Participant Id

**Description:** The unique market wide reference for a Supplier of electricity. A supplier is

an organisation with a Supply License. A licensed supplier may supply customers as defined in their supply license. Suppliers with license exemptions may not supply metering systems registered in SMRS.

Units: None

Valid Set: Any within the constraints of the format

Domain: Identifier
Logical Format: CHAR(4)
Default Value: Not required

## **Supplier Name**

**Description:** Name to expand data item Supplier Id.

Units: None

Valid Set: Any within the constraints of the format

**Domain:** Short Description

Logical Format: CHAR(40)

Default Value: Not required

Acronym: Notes:

# **Supplier Volume Reporting Group**

**Description:** The combination of Consumption Component Class and Profile Class by

which Supplier volume data is reported.

Units: None

Valid Set: 1 CCCs 17, 18, 20 & 21; PCs 1 & 2

2 CCCs 17, 18, 20 & 21; PCs 3 & 4 3 CCCs 17, 18, 20 & 21; PCs 5, 6, 7 & 8

4 CCCs 19 & 11

5 CCCs 32, 33, 34 & 35

6 CCCs 1, 3, 4, 9, 11, 12, 23, 25, 26, 28, 30 & 31

7 CCCs 2, 5, 10 & 13 8 CCCs 6, 7, 8, 14, 15 & 16

Domain: Integer
Logical Format: INT(1)
Default Value: Not Required

#### **SVA Run Date**

**Description:** The date on which an SVA system run is done for a particular Settlement

Day and GSP Group.

Units: None

Valid Set: A valid date within the constraints of the format

Domain:DateLogical Format:DATEDefault Value:Not required

Acronym: Notes:

#### **SVA Run Number**

**Description:** The identifier, unique within an SVA Agent, which the system creates for an

SVA run.

Units: None

Valid Set: Unique positive integers, allocated sequentially starting from 1, within the

constraints of the format.

**Domain:** Run Number **Logical Format:** INT(7) **Default Value:** Not required

Acronym: Notes:

## **SVA Run Type Id**

**Description:** The type of run to which an SVA run belongs. Proposed types will be the

same as for Settlement Code.

Units: None

Valid Set: As Settlement Code

Domain: Code Logical Format: CHAR(2) Default Value: Not required

## **Telephone No**

**Description:** Telephone Number of Registrant

Units: None

Valid Set:

Domain: Text
Logical Format: Text (15)
Default Value: Not Required

Acronym:

Notes: N0218

## **Test Data Flag**

**Description:** Used to indicate whether a file contains test data or is not intended for

operational use.

Units: None

**Valid Set:** OPER Used to route messages to live environments

TR01 Used for routing testing and trialling messages
 TR02 Used for routing testing and trialling messages
 TR03 Used for routing testing and trialling messages
 TR04 Used for routing testing and trialling messages
 TR05 Used for routing testing and trialling messages
 TR06 Used for routing testing and trialling messages

TE01 Used for other testing TE02 Used for other testing TE03 Used for other testing

Domain: Code
Logical Format: CHAR(4)
Default Value: Not Required

## To Participant Id

Is Synonym of: Market Participant Id

**Description:** The Market Participant Id of the receiving participant.

Units: None

Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

## To Role Code

Is Synonym of: Market Participant Role Code

**Description:** The Market Participant Role Code of the receiving participant.

Units: None

Valid Set: See Synonym.

Domain:See Synonym.Logical Format:See Synonym.Default Value:See Synonym.

Acronym: Notes:

## **Total CCC Aggregated Supplier Consumption**

**Description:** The sum of the aggregated supplier consumption for all suppliers (pre-

correction), for a settlement period, for the consumption component class.

Units: MWh

**Valid Set:** Any within the constraints of the format. May be negative.

**Domain:** Wholesale Energy **Logical Format:** NUM(13,3)

**Default Value:** Not required

## **Total CCC Aggregated Supplier Line Loss**

**Description:** The sum of the aggregated supplier line loss for all suppliers (pre-

correction), for a settlement period, for the consumption component class.

Units: MWh

**Valid Set:** Any within the constraints of the format. May be negative.

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

Acronym: Notes:

## **Total CCC Corrected Supplier Consumption**

**Description:** The sum of the corrected supplier consumption for all suppliers (post-

correction), for a settlement period, for the consumption component class.

Units: MWh

**Valid Set:** Any within the constraints of the format. May be negative.

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

Acronym: Notes:

## **Total CCC Corrected Supplier Line Loss**

**Description:** The sum of the corrected supplier line loss for all suppliers (post-correction),

for a settlement period, for the consumption component class.

Units: MWh

**Valid Set:** Any within the constraints of the format. May be negative.

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

## **Total CCC MSID Count**

**Description:** The count of metering systems registered and settled against a specific

Consumption Component Class.

Units: Valid Set: Domain:

Logical Format: Default Value:

Acronym: Notes:

## **Trading Unit Name**

**Description:** No NETA description available

Units: Unknown Valid Set: Unknown

Domain: Text
Logical Format: CHAR(30)
Default Value: Not required

Acronym:

Notes: N0232

#### **Transmission Loss Factor**

**Description:** No NETA description available

Units: Unknown Valid Set: Unknown

Domain:RealLogical Format:NUM(8,7)Default Value:Not required

Acronym:

Notes: N0233

# **UMS Certificate Effective From Date**

**Description:** Date Unmetered Supply certificate is effective from

Units: None

Valid Set: A valid date within the constraints of the format

**Domain:** Effective Date

Logical Format: DATE

**Default Value:** Not required

## **UMS Certificate Issue Date**

**Description:** Correct date of issue of certificate.

Units: None

Valid Set: A valid date within the constraints of format

Domain:DateLogical Format:DATEDefault Value:not required

Acronym: Notes:

## **UMS Certificate Present**

**Description:** True/False statement indicating if the P-flow for UMS Certificate has been

received

Units: None

Valid Set:

**Domain:** Text

**Logical Format:** BOOLEAN **Default Value:** Not required

# **UMS Certificate Type**

**Description:** 

Units: None Valid Set: HH

HH NHH

Domain: Text
Logical Format: CHAR(3)
Default Value: not required

Acronym: Notes:

## **UMSO Fax Number**

**Description:** Fax number of UMSO

Units: None

Valid Set:

Domain: Text
Logical Format: Text(15)
Default Value: Not required

#### **UMSO Phone Number**

**Description:** Telephone Number of UMSO

Units: None

Valid Set:

Domain: Text
Logical Format: Text(15)
Default Value: Not required

Acronym: Notes:

# **Uncorrected Supplier Consumption**

**Description:** The sum of the value of uncorrected Supplier Consumption across

Consumption Component Classes for a period.

Units: MWh

**Valid Set:** Any within the constraints of the format. May be positive or negative.

**Domain:** Wholesale Energy

**Logical Format:** NUM(13,3) **Default Value:** Not required

## **User Name**

**Description:** The identifier for the user of a system. the identifier is normally unique

within the system and is used for control and audit purposes.

Units: None

Valid Set:

Domain:TextLogical Format:CHAR(8)Default Value:Not required

Acronym: Notes:

## **VT Class**

**Description:** The accuracy class of the Voltage Transformer.

Units: None

Valid Set: Any within the constraints of the format

Domain:CodeLogical Format:CHAR(4)Default Value:Not required

# **VT Rating**

**Description:** Maximum rating for a Voltage Transformer.

Units: None

Valid Set: Maximum 200

Domain: Integer
Logical Format: INT(3)
Default Value: Not required

Acronym: Notes:

## **VT Ratio**

**Description:** Voltage Transformer Ratio - the ratio by which voltage changes at a

transformer.

Units: None Valid Set: 440/110

415/240 1100/110

132kv/110v (Supergrid transformer)

Domain: Text
Logical Format: CHAR(10)
Default Value: Not required