Balancing and Settlement Code

BSC PROCEDURE

CHANGES TO INDUSTRY STANDING DATA

BSCP707 Appendix 1:

ISD Entity Change Request Forms

Version 0.7

Date: DD MM YYY

BSC Procedure 707 Appendix 1 relating to Industry Standing Data Entity Change Request Forms

- 1. Reference is made to the Balancing and Settlement Code for the Electricity Industry in Great Britain and, in particular, to the definition of "BSC Procedure".
- 2. This is BSC Procedure 707 Version 0.7 relating to Industry Standing Data Entity Change Request Forms.
- 3. This BSC Procedure is effective from DD MM YYYY
- 4. This BSC Procedure has been approved by the Panel.

Intellectual Property Rights, Copyright and Disclaimer

The copyright and other intellectual property rights in this document are vested in ELEXON or appear with the consent of the copyright owner. These materials are made available for you for the purposes of your participation in the electricity industry. If you have an interest in the electricity industry, you may view, download, copy, distribute, modify, transmit, publish, sell or create derivative works (in whatever format) from this document or in other cases use for personal academic or other non-commercial purposes. All copyright and other proprietary notices contained in the document must be retained on any copy you make.

All other rights of the copyright owner not expressly dealt with above are reserved.

No representation, warranty or guarantee is made that the information in this document is accurate or complete. While care is taken in the collection and provision of this information, ELEXON Limited shall not be liable for any errors, omissions, misstatements or mistakes in any information or damages resulting from the use of this information or action taken in reliance on it.

AMENDMENT RECORD

Version	Date	Description of Changes	Changes Included	Mods/ Panel/ Committee Refs
0.1	26/06/2023	First Draft	MHHS Programme	
0.2	07/07/2023	Internal Review	MHHS Programme	
0.3	01/08/2023	Following Elexon Review	MHHS Programme	
0.4	14/09/2023	Following Consultation	MHHS Programme	
0.5	06/11/2023	Version uplifted following CCAG Approval	MHHS Programme	
0.6	06/11/2023	Mop up	MHHS Programme	
0.7	04/01/2024	Following Consultation	MHHS Programme	

Table of Contents

ISD Entity Id	1 - Market Participant Organisation	
ISD Entity Id	2 - GSP Licensed Distribution System Operator	<u></u> 7
ISD Entity Id	4 - SMR Agent Appointment	<u></u> 8
ISD Entity Id	14 - Clock Time Change	
ISD Entity ID	17 - DUoS Tariff Id	
ISD Entity Id	18 - GSP Group	
ISD Entity Id	21 - Market Role	
ISD Entity Id	23 Sattlement Period Duration	13 1 <i>1</i>
ISD Entity Id	23 - Settlement Period Duration	14 1 <i>6</i>
	43 - Day Type	10
ISD Entity Id	44 - Energisation Status	
ISD Entity Id	45 - Market Participant Role	
ISD Entity Id	47 - Measurement Quantity	
ISD Entity Id	51 - Settlement Type	<u></u> 21
ISD Entity Id	61 - BM Unit for Supplier in GSP Group	<u></u> 22
ISD Entity Id	M1 - Market Segment	<u></u> 23
ISD Entity Id	M2 - Connection Type Indicator	24
ISD Entity Id	M3 - Line Loss Factor Identifier	
ISD Entity Id	M4 - Load Shape Categories	26
ISD Entity Id	M5 - MHHS Consumption Component Classes.	
ISD Entity Id	M6 - MHHS GSPG Scaling Weights	
ISD Entity Id	M7 - Valid Market Segment/ Connection/ Meter Type/ Meter Group	
ISD Entity Id	M8 - Valid Market Segment/ Metering Service Mapping	30 32
	MO TIME Charac Codes	32 22
ISD Entity Id	M9 - UMS Charge Codes	
ISD Entity Id	M10 - UMS Manufacturer Equipment LED Range Charge Codes	
ISD Entity Id	M11 - UMS Switch Regimes	35
ISD Entity Id	M12 - UMS Variable Power Switch Regimes.	<u></u> 36
ISD Entity Id	M14 - Master Settlement Timetable	
ISD Entity Id	M15 - Consent Granularity	<u></u> 39
ISD Entity Id	M16 - Market Participant to DIP Participant Mapping	<u></u> 40
ISD Entity Id	M17 - Valid Consent Granularity Combinations	<u></u> 42
ISD Entity Id	M18 - DIP Market Roles	44
[IR5]ISD Entity	Id M19 - Settlement Period Quality Indicators	46
ISD Entity Id	1 Market Participant Organisation	5
	2 GSP Licensed Distribution System Operator	
	-4 SMR Agent Appointment	
	14 - Clock Time Change	
	17 DUoS Tariff Id	
ISD Entity Id	-18 GSP Group21 Market Role	11
ISD Entity Id	22 G vil — A P. i. 1 D. vi	
•	23 Settlement Period Duration	13
ISD Entity Id	-43 Day Type	14
ISD Entity Id	44 Energisation Status	
ISD Entity Id	45 Market Participant Role	
ISD Entity Id	-47 Measurement Quantity	17
ISD Entity Id	51 Settlement Type	18
ISD Entity Id	61 BM Unit for Supplier in GSP Group	19
ISD Entity Id—	-M1 Market Segment	
ISD Entity Id	M2 Connection Type Indicator	
ISD Entity Id	M3 Line Loss Factor Identifier	
ISD Entity Id	M4 Load Shape Categories	
ISD Entity Id	M5 - MHHS Consumption Component Classes	
ISD Entity Id	M6 MHHS GSPG Scaling Weights	
•	M7 Valid Market Segment/ Connection/ Meter Type/ Meter Group	23
ISD Entity Id		
ISD Entity Id	M8 Valid Market Segment/ Metering Service Mapping	27
ISD Entity Id	M9 UMS Charge Codes	28

ISD Entity Id	-M10	- UMS Manufacturer Equipment LED Range Charge Codes	29
		UMS Switch Regimes	
•		UMS Variable Power Switch Regimes.	
•		Master Settlement Timetable	
		Consent Granularity.	
•		Market Participant to DIP Participant Mapping	
		Valid Energy Direction/ Domestic Premise Indicator /Consent Granularity	

ISD Entity Id 1 - Market Participant Organisation

Company Registration Number	Registered Company Name	ISO Country Code

Column Name	Data Type/Length	Other information
Company Registration Number	Up to 10 characters	Mandatory
Registered Company Name	Up to 100-160[IR6] characters	Mandatory
		(checked against Companies House)
ISO Country Code	2 characters	Mandatory (default is GB)

Company Registration Number	Registered Company Name	ISO Country Code
03078711	BRITISH GAS TRADING LIMITED	GB
03782443	E.ON NEXT ENERGY LIMITED	GB
12291202	MORRISON ENERGY SERVICES LIMITED	GB

ISD Entity Id GSP Licensed Distribution System Operator

GSP Group Id	_	Effective From Settlement Date {GGD}	Effective To Settlement Date {GGD}

Column Name	Data Type/Length	Other information
GSP Group Id	2 characters	Mandatory
Market Participant Id (aka Distributor Id)	4 characters	Mandatory
Market Participant Role Code	1 Character (R)	Mandatory
Effective From Date {MPR}	Date	Mandatory (the date on which the Market Participant was Qualified as a Licensed
		Distribution System Operator)
Effective From Settlement Date {GGD}	Date	Mandatory (the first Settlement Date on which the Market Participant became active
		as a Licensed Distribution System Operator within the GSP Group)
Effective To Settlement Date {GGD}	Date	Optional (the last Settlement Date on which the Market Participant was active as a
		Licensed Distribution System Operator within the GSP Group)

Example

BSCP707 Appendix 1

GSP Group Id	Market Participant Id	Market Participant Role Code		Effective From Settlement Date {GGD}	Effective To Settlement Date {GGD}
_D	MANW	R	1996-04-01	1996-04-01	
_E	MIDE	R	1996-04-01	1996-04-01	

ISD Entity Id SMR Agent Appointment

GSP Group Id	Market Participant Role Code	Effective From Date {MPR}	Effective From Date {PAA}	Effective To Date {PAA}

Column Name	Data Type/Length	Other information
GSP Group Id	2 characters	Mandatory
Market Participant Id	4 characters	Mandatory
Market Participant Role Code	1 Character (P)	Mandatory
Effective From Date {MPR}	Date	Mandatory (the date on which the Market Participant was Qualified as a SMR
		Agent)
Effective From Date {PAA}	Date	Mandatory (the first day on which the Market Participant became active as a SMR
		Agent within the GSP Group)
Effective To Date {PAA}	Date	Optional (the last day on which the Market Participant was active as a SMR Agent
		within the GSP Group)

Example

BSCP707 Appendix 1

GSP Group Id	Market Participant Id	Market Participant Role Code	Effective From Date {MPR}	Effective From Date {PAA}	Effective To Date {PAA}
_A	EELC	P	1996-04-01	1996-04-01	
_B	EMEB	P	1996-04-01	1996-04-01	

ISD Entity Id 14 - Clock Time Change

Change Date	GMT Time	Post Change Local Time

Column Name	Data Type/Length	Other information
Change Date	Date	Mandatory, The day on which the clocks change (forward or back)
GMT Time	Time	Mandatory, 24 hour format e.g. (01:00:00), the time in GMT at which the clocks
		change (forward or back)
Post Change Local Time	Time	Mandatory, 24 hour format e.g. (02:00:00), the local time shown on the clock after
		the change (forward or back)

Change Date	GMT Time	Post Change Local Time	
1998-03-29	01:00:00	02:00:00	Clocks go forward
1998-10-25	01:00:00	01:00:00	Clocks go back

ISD Entity ID 17 - DUoS Tariff Id

Ī	Market	Market	Effective	GSP	DUoS Tariff	DUoS Tariff Description	Effective	Effective	DUoS	DUoS	LLF Id	MS Specific
	Participant	Participant	From	Group	Id		From	To	Tariff	Tariff		LLF Id
	Id	Role Code	Date	Id			Settlement	Settlement	Domestic	Energy		Indicator
			{MPR}				Date	Date	Premise	Direction		
							{DUoS Id}	{DUoS Id}	Indicator			
L												

Column Name	Data Type/Length	Other information
Market Participant Id	4 characters	Mandatory, the LDSO MPID
Market Participant Role Code	1 character (R)	Mandatory
Effective From Date {MPR}	Date	Mandatory (the date on which the Market Participant was Qualified as a Licensed
		Distribution System Operator)
GSP Group Id	2 characters	Mandatory
DUoS Tariff Id	Up to 3 characters	Mandatory. Alphanumeric, excludes '000' or any combination beginning '0' or
		'00', lower case letters, special characters and any combination using 'I' or 'O'
DUoS Tariff Description	Up to 50 characters	Mandatory
Effective From Settlement Date {DUoS Tariff Id}	Date	Mandatory (the first Settlement Date on which the DUoS Tariff Id is active)
Effective To Settlement Date {DUoS Tariff Id}	Date	Optional (the last Settlement Date on which the DUoS Tariff Id is active)
DUoS Tariff Domestic Premise Indicator	Boolean	Mandatory, T or F
DUoS Tariff Energy Direction	1 character	Mandatory, E or I
Line Loss Factor Identifier	3 characters	Mandatory. Alphanumeric, excludes '000' or any combination beginning '0' or
		'00', lower case letters, special characters and any combination using 'I' or 'O'
MS Specific LLF Id Indicator	1 character	Mandatory A, B, C or D, A (General LLF Class Import), B (Site Specific Import), C
		(General LLF Class Export) and D (Site Specific Export

Participant		From Date			•	From Settlement Date {DUoS	Date {DUoS Id}	Tariff Domestic Premise	DUoS Tariff Energy Direction		MS Specific LLF Id Indicator
						Id}		Indicator			
NORW	R	1996-04-01	_G	300	ARMISTEAD WF IMPORT	2012-09-19		F	I	111	В
FEAL	R	2017-11-15	_A	100	LV_A/LV HH METERED	2022-03-31		T	I	A22	A

ISD Entity Id 18 - GSP Group

GSP Group Id	GSP Group Name

Column Name	Data Type/Length	Other information		
GSP Group Id	2 characters	Mandatory		
GSP Group Name	Up to 30 characters	Mandatory		

GSP Group Id	GSP Group Name
_K	South Wales
_L	South Western
_M	Yorkshire

ISD Entity Id 21 - Market Role

Market Participant Role Code	Market Role Description

Column Name	Data Type/Length	Other information
Market Participant Role Code	Single Character	Mandatory
Market Role Description	Up to 40 characters	Mandatory

Market Participant Role Code	Market Role Description
X	Supplier
R	Distributor

ISD Entity Id Settlement Period Duration 23

Settlement Period Duration	Settlement Period <u>Duration</u> (Description)	Effective from Settlement Date {SPD}	Effective to Settlement Date {SPD}

Column Name	Data Type/Length	Other information	
Settlement Period Duration	Integer 2	Mandatory	
Settlement Period <u>-Duration</u> (Description)		<u> </u>	30 - <u>50</u>
		characters	
			Mandatory
Effective From Settlement Date {SPD}	Date	Mandatory, YYYY-MM-DD	•
Effective To Settlement Date {SPD}	Date	Optional, YYYY-MM-DD	

Example

Settlement Period Duration	Settlement Period <u>Duration</u> (Description)	Effective from Settlement	Effective to Settlement Date {SPD}
30	The reference for a Settlement period, unique within Settlement Date. Periods Ids are assigned sequentially to each period in local time day[IR5]The duration of a Settlement Period in Minutes	1996-04-01	

Balancing and Settlement Code Page 14 of 46 30 June 2016

ISD Entity Id 43 - Day Type

Day Type Id	Day Type Id Description

Column NameData Type/LengthOther informationDay Type Id2 CharactersMandatoryDay Type Id DescriptionUp to 30 charactersMandatory

Day Type Id	Day Type Id Description
A2	Late August Bank Holiday
BD	Boxing Day
CD	Christmas Day
EM	Easter Monday

ISD Entity Id 44 - Energisation Status

Energisation Status	Energisation Status Description

Column Name	Data Type/Length	Other information
Energisation Status	1 Character	Mandatory
Energisation Status Description	Up to 30 characters	Mandatory

Energisation Status	Energisation Status Description
D	De-Energised
Е	Energised

ISD Entity Id 45 - Market Participant Role

Company Registration Number	
Market Participant Id	
Market Participant Role Code	
Effective From Date {MPR}	
Effective To Date {MPR}	
Distributor Short Code	
Trading Party Id	

Column Name	Data Type/Length	Other information
Company Registration Number ¹	Up to 10 characters	Mandatory
Market Participant Id ²	4 characters	Mandatory
Market Participant Role Code ² Code ³	1 character	Mandatory[IR5]Optional
Effective From Date {MPR}	Date	Mandatory
Effective To Date {MPR}	Date	Optional
Distributor Short Code ³	Integer	Conditional Mandatory if Market Participant Role Code is R (Distributor), P
		(SMRA) or 3 (UMSO), otherwise Null
Trading Party Id	4 characters	For Suppliers this field is mandatory, and should be the same as the Market
		Participant Id (unless otherwise agreed with BSCCo or due to recognized
		circumstances e.g. where the Supplier Id has been transferred due to a trade sale).
		For non-Suppliers, this field is not required, and should be left blank.

¹ The valid set of values is contained in the ISD table Market Participant Organisations (ISD Entity Id 1)

2 Where an MPID is related to the following Market Roles: Meter Operator, Advanced MOA or Smart MOA, the MPID and Market Role combinations must always be assigned to the same Company ID.

2-3 The valid set of values is contained in the ISD table Market Role (ISD Entity Id 21)

Company Registration Number	04945062
Market Participant Id	BMET
Market Participant Role Code	M
Effective From Date {MPR}	01-07-2006

Company Registration Number	04945062
Effective To Date {MPR}	
Distributor Short Code	
Trading Party Id	

ISD Entity Id 47 - Measurement Quantity

Measurement Quantity Id	Measurement Quantity Description	Energy Direction

Column Name	Data Type/Length	Other information
Measurement Quantity Id	2 Characters	Mandatory
Measurement Quantity Description	Up to 50 Characters	Mandatory
Energy Direction	E or I	Mandatory

Measurement Quantity Id	Measurement Quantity Description	Energy Diraction
Iu		
AE	Active kWh export (Generation)	Е
AI	Active kWh import (Consumption)	I
AL	Alarm	I
AM	AMPS MAXIMUM DEMAND (Amps)	I
AR	Phase Advance Reactive	I

ISD Entity Id 51 - Settlement Type

Settlement Code	Settlement Sequence Number	Settlement Code Description

Column Name	Data Type/Length	Other information
Settlement Code	2 Characters	Mandatory
Settlement Sequence Number	Integer $(1-99)$	Optional
Settlement Code Description	Up to 30-50 Characters	Mandatory

Settlement Code	Settlement Sequence Number	Settlement Code Description
DR		Dianuta
		Dispute
II	1	Interim Information Volume Allocation
SF	2	Final Initial Volume Allocation
R1	3	First Reconciliation Volume Allocation
R2	4	Second Reconciliation Volume Allocation
R3	5	Third Reconciliation Volume Allocation
RF	6	Final Reconciliation Volume Allocation
DF	7	Final Dispute

ISD Entity Id 61 - BM Unit for Supplier in GSP Group

GSP Group Id	 Market Participant Role Code	Effective From Date {MPR}	 Settlement Date {BMU	Effective To Settlement Date (BMU Id)

Column Name	Data Type/Length	Other information
GSP Group Id	2 Characters	Mandatory
Market Participant (Supplier) Id	4 Characters	Mandatory ¹
Market Participant Role Code	1 Character (G)	Mandatory
Effective From Date {MPR}	Date	Mandatory (the date must match the Effective From Date {BMUIGG} and the
		Supplier Base BM Unit in CRA)
BM Unit Id	11 Characters	Mandatory
Effective From Date {BMU Id}	Date	Mandatory (the first day on which the BM Unit was active within the GSP Group)
Effective To Date {BMU Id}	Date	Optional (the last day on which the BM Unit was active within the GSP Group)

GSP Group Id	_		Effective From Date {MPR}		Settlement Date	Effective To Settlement Date (BMUIGG)
_A	SOUT	X	1996-04-01	2_ASOUT000	2000-09-08	
_B	SEEB	X	1996-04-01	2_BSEEB000	2000-09-01	

¹ The Market Participant Role Code will always be "X" for those Suppliers who choose to implement Multiple BM Units.

ISD Entity Id M1 - Market Segment

Market Segment Indicator	Effective From Settlement Date {MSI}	Market Segment Description

Column Name	Data Type/Length	Other information
Market Segment Indicator	1 characters	Mandatory. Either 'U', 'S' or 'A'
Effective From Settlement Date {MSI}	Date	Mandatory
Market Segment Description	Up to 50 characters	Mandatory

Market Segment Indicator	Effective From Settlement Date	Market Segment Description
U	2025-04-01	Unmetered Supplies Market Segment
S	2025-04-01	Smart and Non-smart Market Segment
A	2025-04-01	Advanced Market Segment

ISD Entity Id M2 - Connection Type Indicator

Connection Type Indicator	Connection Type Description

Column Name	Data Type/Length	Other information
Connection Type Indicator	1 characters	Mandatory, Either W, L, H, E or U
Connection Type Description	Up to 50 characters	Mandatory. Either Whole Current,

Low Voltage with Current Transformer. High Voltage with Current transformer, Extra High Voltage with Current Transformer or Unmetered

Connection Type Indicator	Connection Type Description
W	Whole Current
L	Low Voltage with Current Transformer
Н	High Voltage with Current transformer
Е	Extra High Voltage with Current Transformer
U	Unmetered

ISD Entity Id M3 - Line Loss Factor Identifier

Market Participant Id	Line Loss Factor Identifier	LLF Id Description	MS Specific LLF Id Indicator	Effective From Settlement Date {LLF Id}	Effective To Settlement Date {LLF Id}

Column Name	Data Type/Length	Other information
GSP Group Id	2 characters	
Market Participant Id	4 characters	Mandatory, the LDSO MPID
Line Loss Factor Identifier	<u>Up to 3</u> characters	Mandatory. Alphanumeric, excludes '000' or any combination beginning '0' or '00', lower case letters, special characters and any combination using 'I' or 'O'
LLF Id Description	Up to 50 characters	Mandatory
MS Specific LLF Id Indicator	1 character	Mandatory A, B, C or D, A (General LLF Class Import), B (Site Specific Import), C (General LLF Class Export) and D (Site Specific Export
Effective From Settlement Date {LLF Id} Effective To Settlement Date {LLF Id}	Date Date	Mandatory (the first Settlement Date on which the LLF Id is active) Optional (the last Settlement Date on which the LLF Id is active)

Market Participant Id	Line Loss Factor Identifier	LLF Id <u>Description</u>	I	Settlement Date	Effective To Settlement Date {LLF Id}
NORW	123	Low Voltage Network	A	2025-04-01	
SEEB	567	NEWHVN - Import	В	2025-04-01	
SWEB	910	LV Generation HH	С	2025-04-01	

ISD Entity Id M4 - Load Shape Categories

Market Segment Indicator	GSP Group Id	Domestic Premise Indicator	Quantity	Switched Load	(UTC)	Off-Peak Period (UTC) End Time	Connection Type Indicator	De-minimis Data Count

Column Name	Data Type/Length	Other information
Market Segment Indicator	1 character	Mandatory
GSP Group Id	2 characters	Optional,
Domestic Premise Indicator	Boolean	Optional. Either T or F
Measurement Quantity	2 characters	Mandatory. Either Active Import 'AI' or Active Export 'AE'
Non-Smart Switched Load Profile Class	Up to 2 characters	Optional. Either '02' or '04'
Off-Peak Period (UTC) Start Time	12 characters	Optional, Either '00:00 or '00:30'
Off-Peak Period (UTC) End Time	12 characters	Optional, Either '07:00 or '07:30'
Connection Type Indicator	1 characters	Mandatory. Either W, L, H, E or U
De-minimis Data Count	Int(3)	Mandatory

Market Segment	GSP Group Id	Domestic	Measurement	Non-Smart	Off-Peak Period	Off-Peak Period	Connection	De-minimis
Indicator		Premise	Quantity	Switched Load	(UTC)	(UTC)	Type Indicator	Data Count
		Indicator	-	Profile	Start Time	End Time		
S	_A	T	AI	02	00:00	07:00	W	[50]
S	_A	F	AI	04	00:00	07:00	W	[50]
S	_A	Т	AE				W	[50]
S	_A	F	AE				W	[50]

ISD Entity Id M5 - MHHS Consumption Component Classes

CCC Id	Market Segment Indicator	Measurement Quantity	Consumption Component Indicator	Connection Type Indicator	Valid Settlement Period Quality Indicator-Set

Column Name	Data Type/Length	Other information
CCC Id	Int(3)	Mandatory. Unique Identifier for MHHS Consumption Component Classes
Market Segment Indicator	1 character	Mandatory. Either <u>Unmetered</u> 'U', <u>Smart</u> 'S' or <u>Advanced</u> 'A'
Measurement Quantity	2 characters	Mandatory. Either Active Import 'AI' or Active Export 'AE'
Consumption Component Indicator	1 character	Mandatory. Either Consumption 'C' or Losses 'L'
Connection Type Indicator	1 character	Mandatory. Either Whole Current 'W', Low Voltage 'L', High Voltage 'H', Extra
		High Voltage 'E' or Unmetered 'U'
Valid Settlement Period Quality Indicator Set	50 characters	Mandatory. E.g. A, E1, E2, E3, E4

CCC Id	Market Segment Indicator	Measurement Quantity	Consumption Component Indicator	Connection Type Indicator	Valid-Settlement Period Quality Indicator-Set
<u>104</u>	<u>U</u>	<u>AI</u>	<u>C</u>	<u>U</u>	<u>E</u>
<u>104</u>	<u>U</u>	<u>AI</u>	<u>C</u>	<u>U</u>	<u>ZE</u>
<u>105</u>	<u>U</u>	<u>AI</u>	<u>L</u>	<u>U</u>	<u>E</u>
<u>105</u>	<u>U</u>	<u>AI</u>	<u>L</u>	<u>U</u>	<u>ZE</u>
<u>106</u>	<u>U</u>	<u>AE</u>	<u>C</u>	<u>U</u>	<u>A</u>
<u>107</u>	<u>U</u>	<u>AE</u>	<u>L</u>	<u>U</u>	<u>A</u>
<u>108</u>	<u>S</u>	<u>AI</u>	<u>C</u>	<u>W</u>	<u>A</u>
<u>109</u>	<u>S</u>	<u>AI</u>	<u>L</u>	<u>W</u>	<u>A</u>
<u>110</u>	<u>S</u>	<u>AE</u>	<u>C</u>	<u>W</u>	<u>A</u>

BSCP707 Appendix 1

ISD Entity Id M6 - MHHS GSPG Scaling Weights

CCC Id	0 0	Effective To Date {GSPGSW}

Column Name	Data Type/Length	Other information
CCC Id	Integer 3	Mandatory. Unique Identifier for MHHS Consumption Component Classes
GSPG Scaling Weight	Num(3), 2 decimal places	Mandatory
Effective From Date {GSPGSW}	Date	Mandatory
Effective To Date {GSPGSW}	Date	Optional

CCC Id	GSPG Scaling Weight	Effective From Date {GSPGSW}	Effective To Date {GSPGSW}
100	1.20	2025-04-01	
101	1.40	2025-04-01	
102	1.20	2025-04-01	
103	1.40	2025-04-01	
104	1.40	2025-04-01	

ISD Entity Id M7 - Valid Market Segment/ Connection/ Meter Type/ Meter Group

Market Segment Connection Type Indicator		Meter Type	Meter Group	

Column Name	Data Type/Length	Other information
Market Segment Indicator	1 character	Mandatory. Either 'U', 'S' or 'A'
Connection Type Indicator	1 character	Mandatory, Either W, L, H, E and U
Meter Type	Up to 5 characters	Mandatory, Valid Set as per EMAR ²
Meter Group	Up to 11 characters	Mandatory. Either Smart, Traditional or Advanced

Market Segment Indicator	Connection Type Indicator	Meter Type	Meter Group
S	W	N	Traditional
S	W	S1	Smart
A	L	RCAMR	Advanced
A	L	RCAMY	Advanced
<u>U</u>	<u>U</u>	=	_

² Energy Market Architecture Repository (EMAR)

ISD Entity Id M8 - Valid Market Segment/ Metering Service Mapping

Market Segment Metering Service Id [MS Id]		Effective From Date {MS Id}	Effective To Date {MS Id}

Column Name Data Type/Length Other information

Market Segment Indicator 1 character Mandatory. Either, 'S' or 'A'

Metering Service Id {MS Id} 4 characters Mandatory, A Valid Metering Service MPID

Effective From Date {MS Id} Date Mandatory, YYYY-MM-DD Effective To Date {MS Id} Date Optional, YYYY-MM-DD

Market Segment Indicator	Metering Service Id {MS Id}		Effective To Date {MS Id}
S	ACCU	2025-04-01	
A	DASL	2025-04-01	
A	SPOW	2025-04-01	

ISD Entity Id M9 - UMS Charge Codes

Charge Code	Unit Description 1	Unit Description 2	 Manufacturer's Designation	Circuit Watts	From Date	Effective To Date {CC}	Equipment Type
					(CC)	(CC)	

Column Name	Data Type/Length	Other information
Charge Code	13 Characters	Mandatory.
Nominal Watts	<u>Up to NUM(7,2)</u>	Mandatory
Unit Description 1	Up to 50-100[IR6] characters	Mandatory.
Unit Description 2	Up to 50-100 characters	Optional
Company	Up to 50 characters	Mandatory.
Manufacturer's Designation	Up to 50 characters	Optional
Circuit Watts	<u>Up to NUM(7,2)</u>	Mandatory
Dimmed Circuit Watts	<u>Up to NUM(7,2)</u>	Optional
Effective From Date {CC}	Date	Mandatory
Effective To Date {CC}	Date	Optional
Equipment Type	Up to 50 characters	Mandatory

Charge Code	Nominal	Unit	Unit	Company	Manufacturer's	Circuit Watts	Dimmed	Effective	Effective To	Equipment
	Watts	Description 1	Description 2		Designation		Circuit Watts	From Date	Date	Type
								{CC}	{CC}	
0100240000100	24	General lighting service filament	Tungsten	Generic	None	24		2005-06-01		Lamps
0100250000100	25	General lighting service filament	GLS GLD	Generic	None	25		2005-06-01		Lamps
010040000100	40	General lighting service filament	GLS GLD	Generic	None	40		2005-06-01		Lamps
0100600000100	60	General lighting	GLS GLD	Generic	None	60		2005-06-01		Lamps

ISD Entity Id M10 - UMS Manufacturer Equipment LED Range Charge Codes

Manufacturer	Manufacturers Designation	Generic LED Codes – Lower Limit		Effective To Date {LEDCC}

Column Name	Data Type/Length	Other information
Manufacturer	Up to 50 characters	Mandatory.
Manufacturers Designation	Up to 50-100[IR6] characters	Mandatory
Generic LED Codes – Lower Limit	13 Characters	Mandatory
Generic LED Codes – Upper Limit	13 Characters	Mandatory
Effective From Date {LEDCC}	Date	Mandatory
Effective To Date {LEDCC}	Date	Optional

Manufacturer	Manufacturers Designation	Generic LED Codes – Lower Limit	Generic LED Codes – Upper Limit	Effective From Date {LEDCC}	Effective To Date {LEDCC}
Acrospire Products	ACRO-12L-MODULE-19W	4200190000100	4200190000100	2019-10-23	
Acrospire Products	ACRO-12L-MODULE-28W	4200280000100	4200280000100	2019-10-23	
Acrospire Products	ACRO-12L-MODULE-43W	4200430000100	4200430000100	2019-10-23	
Acrospire Products	ACRO-24L-MODULE-43W	4200430000100	4200430000100	2019-10-23	
Acrospire Products	ACRO-24L-MODULE-69W	4200690000100	4200690000100	2019-10-23	
Acrospire Products	ACRO-24L-MODULE-83W	4200830000100	4200830000100	2019-10-23	

ISD Entity Id M11 - UMS Switch Regimes

Switch Regime	SR Description	 Before Sunrise	Lux On	Lux Off	Intermediate Off		Switch Off	GMT/ CLK	Effective From Date	Effective To Date {SR}

Column Name	Data Type/Length	Other information
Switch Regime	3 characters	Mandatory.
SR Description	Up to 100 characters	Mandatory.
After Sunset	Num(2)	Optional.
Before Sunrise	Num(2)	Optional.
Lux On	Num(3)	Optional.
Lux Off	Num(3)	Optional.
Intermediate Off	Time	Optional HH:MM e.g. 00:00.
Intermediate On	Time	Optional HH:MM e.g. 00:00.
Switch On	Time	Optional HH:MM e.g. 00:00.
Switch Off	Time	Optional HH:MM e.g. 00:00.
Default Switch Regime	3 characters	MandatoryOptional.
GMT/ CLK	3 characters	Mandatory, GMT or CLK
Effective From Date {SR}	Date	Mandatory. YYYY-MM-DD
Effective To Date {SR}	Date	Optional. YYYY-MM-DD

N.B this Entity M11 Unmetered Supplies Switch Regimes will incorporate the Switch Regime data for Unmetered Supplies Highway Message Sign and Indicator Sign Operating Hours.

Switch Regime	SR Description	After Sunset	Before Sunrise		Lux Off	Intermediate Off	Intermediate On	Switch On	Switch Off	 GMT/ CLK	Effective From Date	Effective To Date {SR}
200	Dusk to Dawn	30	30							GMT	2017-07-19	
201	Dawn to Dusk	17	18							GMT	2017-07-19	
411	Thermal PEC			55	110					GMT	2011-04-05	

ISD Entity Id M12 - UMS Variable Power Switch Regimes

Switch Regime	PECU lux level/ Time	GMT or Clock	On Event	Switch Event 2	% Power	Switch Event 3	% Power	Switch Event 4	% Power	Switch Event 5	% Power	Switch Event 6

% Power	Switch Event 7	% Power	Switch Event 8	% Power	OFF Off Event

Column Name	Data Type/Length	Other information
Switch Regime	3 characters	Mandatory.
PECU lux level/ Time Setting	10 characters	Mandatory. e.g. 70/35, 55/28, 35/18, 20/20, 10/10 and 5/5.
GMT or Clock	3 characters	Mandatory. GMT or CLK
On Event	5 characters	Mandatory. PECUS or TIMER
% Power	Num(3)	Mandatory. 0 to 100
Switch Event 2	Time	Optional. e.g. 00:00
% Power	Num(3)	Optional. 0 to 100
Switch Event 3	Time	Optional. e.g. 00:00
% Power	Num(3)	Optional. 0 to 100
Switch Event 4	Time	Optional. e.g. 00:00
% Power	Num(3)	Optional. 0 to 100
Switch Event 5	Time	Optional. e.g. 00:00
% Power	Num(3)	Optional. 0 to 100
Switch Event 6	Time	Optional. e.g. 00:00
% Power	Num(3)	Optional. 0 to 100
Switch Event 7	Time	Optional. e.g. 00:00
% Power	Num(3)	Optional. 0 to 100
Switch Event 8	Time	Optional. e.g. 00:00
% Power	Num(3)	Optional. 0 to 100
OFF Event	5 characters	Mandatory. PECUS or TIMER

Switch Regime	PECU lux level/ Time	GMT or Clock	On Event	% Power	Switch Event 2	% Power	Switch Event 3	% Power	Switch Event 4	% Power	Switch Event 5	% Power	Switch Event 6
A01	70/35	GMT	PECUS	100	15:00	100	21:30	75	00:00	50	05:00	75	
A02	70/35	GMT	PECUS	100	15:00	100	22:00	50	23:00	10	06:00	50	
A03	70/35	GMT	PECUS	100	15:00	100	22:00	50	23:00	25	06:00	50	
% Power	Switch Event 7	% Power	Switch Event 8	% Power	OFF Event								
					PECUS								
					PECUS								
					PECUS								

ISD Entity Id M14 - Master Settlement Timetable

Settlement Date	Day Type Id		CDCA Run Date	MDS Run Date	VAS Run Date	Notification Date	Payment Date

Column Name	Data Type/Length	Other information
Settlement Date	Date	Mandatory. YYYY-MM-DD
Day Type Id	2 characters	Mandatory. Valid value as per Entity 43
Settlement Code	2 characters	Mandatory. Valid value as per Entity 51
LSS Run Date	Date	Mandatory[IR6]Optional. YYYY-MM-DD
CDCA Run Date	Date	Mandatory. YYYY-MM-DD
MDS Run Date	Date	Mandatory- YYYY-MM-DD
VAS Run Date	Date	Mandatory. YYYY-MM-DD
SAA Run Date	Date	Mandatory. YYYY-MM-DD
Notification Date	Date	Mandatory. YYYY-MM-DD
Payment Date	Date	Mandatory. YYYY-MM-DD

Settlement Date	J 1	Settlement Code	LSS Run Date	CDCA Run Date	MDS Run Date	VAS Run Date		Notification Date	Payment Date
2025-04-01	WE	II	2025-04-04	2025-04-04	2025-04-04	2025-04-08	2025-05-09	2025-04-10	2025-04-15

ISD Entity Id M15 - Consent Granularity

Consent Granularity	Consent Granularity Description	

Column Name	Data Type/Length	Other information
Consent Granularity	1 characters	Mandatory
Consent Granularity Description	Up to 60 characters	Mandatory

Consent Granularity	Consent Granularity Description	
Н	Half-Hourly Consumption data can be collected	
D	Daily Consumption or Register data can be collected	
M	Monthly Consumption or Register data can be collected	

ISD Entity Id M16 - Market Participant to DIP Participant Mapping

Market Participant Id	Market Participant Role Code	DIP Participant Id	Role Code	 Effective To Date {MP2DPM}

Column Name Other information Data Type/Length Market Participant Id 4 characters Mandatory Market Participant Role Code 1.3 Mandatory[IR5]Optional 1 character [IR3]DIP Participant Id Up to 10 characters Mandatory DIP [IR6]Market Role Code 4-Min 3 /Max 5 character/ Mandatory Effective From Date {MM2DPM}² Date Mandatory Effective To Date {MM2DPM}² Date Optional

Market Participant Id	Market Participant Role Code	DIP Participant Id	DIP <u>Market</u> Role Code	Effective From Date {MP2DPM}	Effective To Date {MP2DPM}
BGAS	X	0307871100	SUPP	2023-04-01	
<u>ACCU</u>	<u>T</u>	0123456799	<u>MSA</u>		
<u>ACCU</u>	<u>O</u>	0123456788	<u>ADS</u>		
<u>ACCU</u>	<u>S</u>	0123456777	MSS_		
<u>ACCU</u>	<u>N</u>	0123456766	SDS		
<u>SEEB</u>	<u>3</u>	0123456755	<u>UMSO</u>		
NEEB_	Q	0123456744	<u>UDS</u>		
<u>YELG</u>	<u>R</u>	0123456733	<u>LDSO</u>		

¹ The valid set of values is contained in the ISD table Market Role (ISD Entity Id 21)

² The Effective From and To Dates refer to this Market Participant to DIP Participant Mapping table.

^{3 [}IR6] Allocation of a Market Participant Role Code may not always be possible, for example, as with MDRs where this value shall remain blank..

Market Participant Id	1120121100	DIP Participant Id	Role Code	Effective From Date {MP2DPM}	Effective To Date {MP2DPM}
SWAL	<u>P</u>	1122334455	<u>REGS</u>		
MDR1	<null></null>	0123456722	MDR_		

Note:

MDS, LSS, EES, VAS, ISD & DIP are valid DIP Roles, utilised for message routing, but that may not be maintained in this table.

ISD Entity Id M17 - Valid Energy Direction/ Domestic Premise Indicator / Consent Granularity Combinations

Energy Direction	Domestic Premise Indicator	Market Segment Indicator	Consent Granularity

Column Name	Data Type/Length	Other information
Energy Direction	1 character	Mandatory, E or I
Domestic Premise Indicator	Boolean	Mandatory- Either T or F
[IR3]Market Segment Indicator	1 character	Mandatory. Either Unmetered 'U', Smart 'S' or Advanced 'A'
Consent Granularity	1 characters	Mandatory Either H, M or D

Energy Direction	Domestic Premise Indicator	Market Segment Indicator	Consent Granularity
I	Т	S	Н
I	Т	S	D
I	Т	S	M
I	F	S	Н
I	F	<u>\$</u> -	D -[IR6]
I	Т	A	Н
I	Т	A	D
I	Т	A	M
I	F	A	Н
I	F	U	Н
Е	Т	S	Н
Е	F	S	Н
E	Т	A	Н

Energy Direction	Domestic Premise Indicator	Market Segment Indicator	Consent Granularity
E	F	A	Н
E	T	U	Н

ISD Entity Id M18 - DIP Market Roles

DIP Market Role	DIP Role Description		Effective To Date {DIP Role}

Column Name	Data Type/Length	Other information
DIP Market Role	min 3 / max 5 characters	Mandatory
DIP Role Description	100 characters	Mandatory
Market Participant Role Code	1 character	(Optional)
Effective From Date {MM2DPM} ²	Date	Mandatory
Effective To Date {MM2DPM} ²	Date	<u>Optional</u>

DIP Market Role	DIP Role Description	Market Participant	Effective From Date {DIP	Effective To Date {DIP Role}
		Role Code	Role}	
MSA	Advanced Metering Service	<u>T</u>	2023-01-01	
<u>ADS</u>	Advanced Data Service	<u>O</u>	2023-01-01	
MSS_	Smart Metering Service	<u>S</u>	2023-01-01	
MRS	Meter Reading Service	N/A	2023-01-01	
<u>SDS</u>	Smart Data Service	<u>N</u>	2023-01-01	
MDR_	Meter Data Retriever	N/A	2023-01-01	
<u>UMSO</u>	Unmetered Supplied Operator	3	2023-01-01	
<u>UDS</u>	Unmetered Data Service	Q	2023-01-01	
MDS_	Market-wide Data Service	N/A	2023-01-01	
LSS	Load Shaping Service	N/A	2023-01-01	
<u>ISDS</u>	Industry Standing Data Service	N/A	<u>2023-01-01</u>	
VAS	Volume Allocation Service	N/A	2023-01-01	
REGS	Registration Service	<u>P</u>	2023-01-01	

DIP Market Role	DIP Role Description	Market Participant Role Code	Effective From Date {DIP Role}	Effective To Date {DIP Role}
		Role Code	<u>Kolej</u>	
SUP	<u>Supplier</u>	X	2023-01-01	
MAP	Meter Asset Provider	8	2023-01-01	
LDSO	Licenced Distribution System	<u>R</u>	2023-01-01	
EES	Electricity Enquiry Service	<u>L</u>	<u>2023-01-01</u>	
<u>CSS</u>	Central Switching Service	N/A	2023-01-01	
<u>DCC</u>	Data Communications Co.	N/A	2023-01-01	
<u>DTS</u>	Data Transfer Service	N/A	2023-01-01	
<u>DIP</u>	Data Integration Platform	N/A	2023-01-01	

[IR5]ISD Entity Id M19 - Settlement Period Quality Indicators

Settlement Period Quality Indicator	Actual/ Estimate

Column Name	Data Type/Length	Other information
Settlement Period Quality Indicator	5 characters	Mandatory.
Actual/Estimate 30 characters	Mandatory. Either Actual, Estima	te or Estimate based on Actual Read

Settlement Period Quality	Actual/ Estimate	
<u>Indicator</u>		
<u>A</u>	Actual	
<u>A1</u>	Actual	
A1 A2 A3 E	Actual	
<u>A3</u>	<u>Actual</u>	
<u>E</u>	<u>Estimate</u>	
<u>E1</u>	<u>Estimate</u>	
<u>E2</u>	Estimate based on Actual Read	
<u>E3</u>	Estimate based on Actual Read	
<u>E4</u>	<u>Estimate</u>	
<u>E4</u> <u>E5</u>	<u>Estimate</u>	
<u>E6</u>	Estimate based on Actual Read	