### **Message Flow Details**

# MM00100 - Request Special Visit to Read/Reset Key Meter

### **Market Message Information**

Market Message Reference	MM00100				
MM Description	A request is being made for a non-routine visit to a specified customer to read the key meter and/or adjust the settings.				
Local Catalogue Reference	D0191				
Version	001				
Notes	Where 'Reason for Request' is 'Read Meter Only' meter setting details will not be provided.				

#### **Scenario Variants**

Scenario Variant	Name	Source	Target	Owner	Api Route	Api Method
SV00100	Request Special Visit to Read/Reset Key Meter	Electricity Supplier	Meter Equipment	Retail Energy Code Company		
SVxxxxx	Request Special Visit to Read/Reset Key Meter	Hectricity	<u>Smart</u> Meter	Retail Energy Code Company		

## **Flow Structure**

# MM00100 - Request Special Visit to Read/Reset Key Meter - Message Structure

Group ID	Group Description	Range	Condition	L1	L2	L3	L4	L5	L6	L7	L8	Data Item Name	Data Item Rule
1391	Customer Details	1-*		G									
					1							MPAN Core	
					1							Contact Name	

1	Reason for Request
0	Appointment Date
0	Earliest Appointment Time
0	Latest Appointment Time
1	Meter Id (Serial Number)
1	Meter Location
0	Tariff Setting
0	Total Debt
o	Debt Recovery Rate
0	Emergency Credit